Ref: RGUKT-B/Proc/LAN&CCTV/T06/2018, dt.01.08.2018



RAJIV GANDHI UNIVERSITY OF KNOWLEDGE TECHNOLOGIES BASAR, Nirmal District, Telangana- 504107 Website: www.rgukt.ac.in Contact: 9492301704

e-mail: procurement@rgukt.ac.in

<u>Tender for Supply and installation of</u> <u>FIBER BACK BONE – CWN and IP BASED CCTV</u>

Time Schedule:

Bid calling date	01.08.2018
Bid Document fee (Non refundable)	Rs. 10,000/- (By way of DD from any Scheduled Bank in favour of Director, RGUKT, Basar, payable at Basar)
Bid Documents Downloading Start date	07.08.2018
Pre-Bid Meeting	06.08.2018
Bid Document Downloading End Date	16.08.2018
Last date for uploading of online documents	16.08.2018
Last date for submission of Hard copies of documents uploaded online	18.08.2018
Pre-qualification & Technical Bid opening date/time	20.08.2018
Contact person	Director, RGUKT, Basar
Reference No	RGUKT-B/ Proc/LAN&CCTV/T06/2018

Proprietary & Confidential

No part of this document can be reproduced in any form or by any means, disclosed or distributed to any person without the prior consent of RGUKT except to the extent required for submitting bid and no more.

Contents

Description	Page No.
Newspaper advertisement	4
Time call notice	5-7
Pre-qualification Criteria	8
Statement of important limits and values of bid	9 - 11
Technical specifications	12 - 14
Bidding & Evaluation Procedures	15 -16
General instructions to bidders for Procedures	17-21
Standards procedure for opening and Evaluation of bids	22-25
General conditions of proposed contract	26-37
Special conditions of proposed contract	38
Bid letter form	39
Contract form	40-42
Bid forms	43-52

News paper advertisement

E-Procurement Tender Notice

RAJIV GANDHI UNIVERSITY OF KNOWLEDGE TECHNOLOGIES BASAR , Nirmal District, Telangana-504107

Separate online tenders are hereby invited from interested and eligible bidders for supply and installation of following:

1) Fiber Back Bone CWN and IP BASED CCTV and 2) Biometric Devices

Interested bidders can download and submit the bids online from 02.08.2018 to 16.08.2018 up to 05:00PM through <u>www.eprocurement.gov.in</u>. For further details please visit our website: <u>www.rgukt.ac.in</u>

Date01.08.2018

Sd/-Vice-Chancellor

Section A

Tender Call notice

Procurement of Notebook Computers

Time schedule of various tender related events

Bid calling date	01.08.2018
Bid Document fee (Non refundable)	Rs. 10,000/- (By way of DD from any Scheduled Bank in favour of Director, RGUKT, Basar, payable at Basar)
Bid Documents Downloading Start date	02.08.2018
Pre-Bid Meeting	06.08.2018
Bid Document Downloading End Date	16.08.2018
Last date for uploading of online documents	16.08.2018
Last date for submission of Hard copies of documents uploaded online	18.08.2018
Pre-qualification & Technical Bid opening date/time	20.08.2018
Contact person	Director, RGUKT, Basar
Reference No	RGUKT-B/ Proc/LAN&CCTV/T06/2018

CLARIFICATIONS:

i. Queries if any can be made through e-mail only on <u>procurement@rgukt.ac.in</u> on or before 07.08.2018. Queries received via any mode other then e-mail id mentioned above will not be entertained. The queries should only be sent in following format on the official letter head of the company.

S.No.	Page No. (Tender Ref.)	Clause (Tender Ref.)	Description (Tender Ref.)	Query

- ii. The addendum/corrigendum if any shall be published on RGUKT's website i.e. <u>www.rgukt.ac.in</u> as well as on e-procurement platform <u>www.eprocurement.gov.in</u>.
- iii. The Bidders are requested to submit the bids after issue of clarifications duly considering the changes made if any. Bidders are totally responsible for incorporating/complying the changes/ amendments issued if any during pre bid meeting in their bid.

A.3.Qualifications of the Facility Management Personnel:

The Site Engineers should have experience. The bidder should submit a statement of the personnel whom he would be deploying for FMS clearly mentioning their qualification, designation and previous experience in the similar field.

100% of the staff proposed of the tender must be the staff of the organization. The bidder has to indicate the proposed person's name and designation in the bidder's organization.

Bidders submitting their bids with complaining to this termed is treated as non responsive at technical stage.

A.5. Delivery and Installation period

- a) Bidder shall deliver, install and commission the goods/services within **12 weeks** from the date of receipt of Purchase Order. The delivery location is "**RGUKT**, **Basar**, **Nirmal District**, **Telangana-504107**".
- b) The institution shall provide a room to bidder for maintenance spare in the premises.

A.6. Warranty

During warranty period the bidders should conduct preventive maintenance once in every quarter besides attending the regular calls. During the warranty period the bidder has to provide one on-site engineer at the campus during the working hours for six days a week to attend any complaint.

Section B

B.1 Pre-Qualification criteria:

- 1. The bidder should be a manufacturer/authorized representative of a manufacture/whole sale dealer and should be in business of manufacture and or supply and maintenance of the offered items for a minimum period of two years in combined AP/Telangana as on bid calling date.
- 2. The bidder should have minimum 5 Cr annual turnover for the items/product mentioned (irrespective of brand/model anywhere in India), during 2014-15, 2015-16 & 2016-17 as follows:

Schedule	Item name	Financial year	Total Sales (No's)
Schedule-I		2014-15	5.0
		2015-16	5 Cr
		2016-17	

- 3. The bidder should submit the purchase order copies of the same type of work that they intend to do, over the last 2 financial years. Proof to this extent should be submitted by authentic purchase orders and installation & service report from the organization where the work was done.
- 4. The bidder or the Bidder's group company or the manufacturer should not have been blacklisted by any State Government / Central Government / PSU for any reason in the last three financial years as on bid calling date. A letter of undertaking on the letter heads of the Bidder/ Manufacturer should be submitted separately stating that they have not been blacklisted by any State Government / Central Government / PSU for any reason in the last three years and should be signed by an Officer competent and having the power of attorney (with Company stamp) to bind the bidding Firm / Manufacturer(s). The letter of undertaking should be submitted in Prequalification Bid.

S.No	ltem	Description
1	EMD	Rs. 2,50,000/- (in the form of DD/BG from any Scheduled Bank
		drawn in favour of Director, RGUKT, Basar)
2	Bid Validity Period	90 days from the date of opening of bid
3	EMD Validity Period	90 days beyond bid validity period
4	Maintenance Period	3 years warranty
5	Variation in quantities	± 30%
6	Period for furnishing Performance security	Within 7 days from date of receipt of notification of award
7	Performance security value for schedule	10% of contract value for Schedule-I in favor of "The Director, Rajiv Gandhi University of Knowledge Technologies, Basar, Telangana", from any Scheduled/Nationalized bank only.
8	Performance security validity period	60 days beyond warranty period for Schedule-I
9	Period for signing contract	Within 7 days from date of receipt of notification of award.
10	Warranty period	36 months from the date of successful installation of all goods of schedule-I
11	Up time %	97% calculated over 3 calendar months period. For the purpose of up time calculation, day will be counted of 12 hours duration -8:00 AM to 8:00 PM on all days.
12	Payment terms	Cumulative payment
13	On acceptance & Proof	50% of contract value
	of delivery of the items	
	After Successful	40% of the contract value
	installation	

Section C C1. Statement of important limits/ values related to bid

14	After performance evaluation	Balance 10% of the contract value
15	LD for late deliveries	1% of the late delivered or deemed late delivered goods for one week or part there of 2% for 2 weeks or part there of 4% for3 weeks or part thereof and so on maximum of 10%. If delay continues beyond the limit, contract is liable for cancellation.
16	Maximum LD for late deliveries	10% of value of late delivered of deemed late delivered goods
17	Penalty for failure to maintain during warranty or AMC	For every 1% reduction in up time from 97%, penalty will be 0.3% of equipment cost, which is down or deemed down as the case may be.
19	Conditional bids	Not acceptable and liable for rejection.
20	Placing work order	 RGUKT will place order on identified successful bidder. All the payments shall be made directly by RGUKT to the successful bidder as per the terms and conditions of RFP. Payment for site engineer shall be borne by the bidder. If decided RGUKT can split the order basing on the quoted price and service track record. The decision of RGUKT is final in this regard.
22	Eligibility Criteria	As per Section B
23	Transaction Fee	Transaction fee: All the participating bidders who submit the bids have to pay an amount @ 0.04% of their final bid value online with a cap of Rs. 10,000/- for quoted value of purchase up to Rs.50 crores and Rs.25000/- if the purchase value is above Rs.50 crores & service tax applicable @ 15.00% as levied by Govt. of India on transaction fee through online in favour of MD, TSTS. The amount payable to APTS is non refundable.
24	Transaction Fee Payable to	The Managing Director, TS. Technology Services Ltd., Hyderabad
25	Bid submission	On Line. Bidders are requested to submit the bids after issue of minutes of the pre bid meeting duly considering the changes made if any, during the pre bid meeting. Bidders are totally responsible for incorporating/complying the changes/amendments issued if any during pre bid meeting in their bid.
26	Procedure for Bid Submission	 Bids shall be submitted online on www.eprocurement.gov.in platform 1. The participating bidders in the tender should register themselves free of cost on e-procurement platform in the website www.eprocurement.gov.in 2. Bidders can log-in to e-procurement platform in Secure mode only by signing with the Digital certificates.

r		
		 The bidders who are desirous of participating in e- procurement shall submit their technical bids, price bids as per the standard formats available at the e-market place.
		4. The bidders should scan and upload the respective documents in Pre Qualification and Technical bid documentation as detailed at Section E & G of the RFP including EMD. The bidders shall sign on all the statements, documents certificates uploaded by them, owning responsibility for their correctness/authenticity.
		5. The rates should be quoted in online only
27	Other conditions	1. After uploading the documents, the copies of the uploaded technical bid documents, and original Demand Drafts in respect of Bid Security and Bid document fee are to be submitted by the bidder to the "The Director, RGUKT, Basar, Nirmal District, Telangana-504107", by 05:00 PM on 18.08.2018"
		Telangana-304107, by 03.00 FW 011 16.06.2016
		Failure to furnish any of the uploaded documents, certificates, will entitled in rejection of the bid. The RGUKT shall not hold any risk on account of postal delay. Similarly, if any of the certificates, documents, etc., furnished by the Bidder are found to be false / fabricated / bogus, the bidder will be disqualified, blacklisted, action will be initiated as deemed fit and the Bid Security will be forfeited.
		 RGUKT will not hold any risk and responsibility regulating non-visibility of the scanned and uploaded documents.
		The Documents that are uploaded online on e-market place will only be considered for Bid Evaluation.
		4. Important Notice to Contractors, Suppliers and Department users (i) In the endeavor to bring total automation of processes in e-Procurement, the Govt.hasissued orders vide G.O.Ms.No. 13 dated. 5.7.2006 permitting integration of electronic Payment Gateway of ICICI/HDFC/Axis Banks with e- Procurement platform, which provides a facility to participating suppliers / contractors to electronically pay the transaction fee online using their credit cards.

<u>Section –D</u> <u>D Technical specification :</u> Schedule –I <u>CONFIGURATION –I</u>

TECHNICAL SPECIFICATION FOR HIGH DEFINATION COLOR FIXED CUBE CAMERA.

1. HD IP colour camera shall be of f indoor application.	ixed lens. cube type suitable for	
2. The camera shall work on PoE.		
3. The camera shall have options for technology, Wide Dynamic Range of M function to improve picture quality und	Ain 60db, Visibility enhancement ler poor light condition.	
4. The camera should have Tamper of Masking.	-	
5. The camera shall meet the following	minimum technical requirements.	
TECHNICAL PARAMETER	SPECIFICATION	COMPLAINCE (YES or NO)
Pick-up device	1/4" -type progressive scan Exmor CMOS sensor or better	
Signal System	PAL	
Wide dynamic Range	60 db or better	
Active Pixels (No. of effective pixels)	1.3 Mega pixels or better	
Signal to noise ratio	50dB or more	
Electronic Shutter Speed	Minimum 1/10,000 sec, Maximum 1sec	
Gain Control	Auto	
Exposure Control	Shutter Speed / Iris / Automatic	
White balance Mode	ATW, ATW-PRO, Fluorescent lamp, Mercury lamp, Sodium vapour lamp, Metal halide lamp, White LED, One push WB, Manual	
Lens Type	Built in Fixed lens	
Lens focal length	f=1.8mm or better	
Horizontal Viewing angle	120 degree or better	
e-Varifocal	The camera shall electronically zoom an image and adjust the field of view for easy and flexible installation. This function shall provide panning, tilting and zooming by adjusting the position and zooming ratio from the maximum image size, without moving the camera and losing	

Privacy Zone Masking	Yes, 6 areas	
Video Resolutions	The supported resolutions shall be 1280 x 720, 1024 x 576, 720 x 480 (NTSC), 720 x 576 (PAL), 704 x 576, 640 x 480, 640 x 360, 352 x 288, and 320 x 180 resolution. JPEG, H.264 (High, Main ,Base	
Compression format	line profile)	
frame rate and Resolution	25 Fps @ 720P	
Stream / Bit rate control	tripple Streaming, CBR / VBR	
Ethernet Interface	10Base-T/100 Base-TX (RJ-45)	
Operating temperature	0° C to $+50^{\circ}$ C	
Storage temperature	-20° C to $+60^{\circ}$ C	
Protocols	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, DHCP, DNS, NTP, RTP/RTCP, RTSP, SMTP, IPv6, HTTPS, SNMP (MIB-2)	
Number of simultaneous clients	5	
Authentication	IEEE 802.1X	
Intelligent Motion detection	Required	
Edge Based analytics	 Require following edge analytics. 1)Face detection. 2)Object left over. 3)Object removal. 4)Intrusion detection. 5)Passing / Trip wire. 6) Camera Tampering alarm. 	
Image Rotate	The camera shall have an Image Rotate function, which can be used to stream a H.264 video signal with rotating 90° or 270° so that operators can easily monitor a vertical area (such as corridors, hallways, aisles, and roads).	
Minimum Illumination (at F2.0, 30 IRE, 1/30s Shutter Speed)	When Using the White LED, colour 0 lux. When not using the white LED colour 0.5 lux.	
Image Settings	Image fine tuning features like noise reduction function in low right, improvement scene visibility, brightness, wide-dynamic range function etc.	
ONVIF Conformance	Yes (ONVIF conformity certificate to be provided)	
Superimposing support	Date / Time Superimpose on Live image in camera	

Web Server	Internal Web Server required with embedded operating system	
Power Requirement	PoE	
Approvals	UL , FCC, CE	
Image Stabilizer	Required	
Operating Humidity	20 to 80%	
Edge storage	Required (Minimum 32 Gb)	
White Light LED	White-light LED Illuminators to capture clear color images at a distance of up to approximately 10 feet (3 m), even in complete darkness of 0 lx	
Passive infrared (PIR) sensor	A passive infrared (PIR) sensor shall be able to detect movements in total darkness by measuring the intruder's body temperature, and to illuminate surroundings automatically with a white LED illuminators or when activated by the user. The PIR sensor shall also be able to trigger other actions, like recording on optional micro SD/SDHC card, giving voice alerts via the built-in speaker or sending an email notification.	
Built-in microphone and speaker	The camera's built-in microphone and speaker shall enable two-way audio communication – ideal for use as an intercom.In addition, the passive infrared sensor can trigger playback of a pre-recorded Voice Alert warning message through the speaker when motion is detected.	

TECHNICAL SPECIFICATION FOR FIXED BULLET IR COLOR
CAMERA.
1. High resolution IP colour camera shall be of fixed Varifocal IR Vandal
Resistant dome type suitable for indoor & outdoor surveillance during day
or low light (night) operation.
2 The camera shall work on 220V AC voltage/ 24V AC/12VDC or PoE.
3. The camera shall have options for 3D Dynamic Noise Reduction
technology, Wide Dynamic Range of Min 90db, Visibility enhancement
function to improve picture quality under poor light condition.
4.The camera should have Tamper detection function, Privacy Zone
Masking.
5 The camera shall meet the following minimum technical requirements.

TECHNICAL PARAMETER	SPECIFICATION	COMPLAINCE (YES or NO)
Pick-up device	CMOS Sensor, ¹ / ₂ .9" or better	
Signal System	PAL	
Wide dynamic Range	90 db or better	
Active Pixels (No. of effective pixels)	2.14 Mega pixels or better	
Signal to noise ratio	50dB or more	
Electronic Shutter Speed	Minimum 1/10,000 sec, Maximum 1sec	
Gain Control	Auto	
Exposure Control	Shutter Speed / Iris / Automatic	
White balance Mode	ATW, ATW-PRO, Fluorescent lamp, Mercury lamp, Sodium vapour lamp, Metal halide lamp, White LED, One push WB, Manual	
Lens Type	Built in Varifocal lens	
IR Illuminator	Built in IR Illuminator	
IR Range	30 Mtr or better	
Lens focal length	F=3-9mm	
Powered focus	(Easy focus). The camera shall have an Easy Focus function, which adjusts the camera focus via the Easy Focus button on the rear of the camera or remotely via the GUI.	
Powered zoom	(Easy zoom). The camera shall have an Easy zoom function, which vary the focal length of the camera focus via the Easy zoom button on the rear of the camera or remotely via the GUI.	
Day/Night	Yes, True Day Night	
Privacy Zone Masking	Yes, 6 areas	
Video Resolutions	1920 x 1080, 1280 x 720, 1024 x 576, 720 x 576, 720 x 480, 704 x 576, 640 x 480, 640 x 360, 352 x	

	288, 320 x 184 (H.264, JPEG)	
Compression format	JPEG, H.264 (High, Main Base line profile)	
frame rate and Resolution	H.264: 30fps (1920 x 1080) JPEG: 30fps (1920 x 1080)	
Stream / Bit rate control	Triple Streaming, CBR / VBR	
Ethernet Interface	10Base-T/100 Base-TX (RJ-45)	
Operating temperature	-10°C to +50°C (14°F to 122°F)	
Storage temperature	-20° C to $+60^{\circ}$ C (-4° F to $+140^{\circ}$ F)	
Protocols	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, DHCP, DNS, NTP, RTP/RTCP, RTSP, SMTP, IPv6, HTTPS, SNMP (MIB-2)	
Number of simultaneous clients	20	
Authentication	IEEE 802.1X	
Horizontal Viewing angle.	105 degree to 31.6 degree	
Intelligent Motion detection	Required	
Edge Based analytics	 Require following edge analytics. 1)Face detection. 2)Object left over. 3)Object removal. 4)Intrusion detection. 5)Passing / Trip wire. 6) Camera Tampering alarm. 	
Digital zoom	4X or better	
Minimum Illumination (at F1.2, AGC High, 50 IRE, 1/30s Shutter Speed)	0.11x (Color), at 50 IRE and 1/30s, 30FPS shutter and	
	0 Lux (IR ON)	
Image Settings	Image fine tuning features like noise reduction function in low right, improvement scene visibility, brightness, wide-dynamic range function etc.	
ONVIF Conformance	Yes (ONVIF conformity certificate to be provided)	
Superimposing support	Date / Time Superimpose on Live image in camera	
Web Server	Internal Web Server required with embedded operating system	
Power Requirement	AC 24V & DC 12V or PoE	
Approvals	UL , FCC, CE	
Image Stabilizer	Required	
Analogue monitor out	Required for Camera setting (angle and view)	

Operating Humidity	20 to 80%	
Housing	IP66 weather proof housing.	

TECHNICAL SPECIFICATION FO	DR PTZ OUTDOOR CAMERA.	
1.The Camera should have the		
following feature:		
2.36x optical zoom and 12x digital		
zoom total up to 432x zoom		
3. D1 Resolution(720 x 576), 25fps		
4. Wide Dynamic Range Capability		
upto 92db.		
5.High speed of pan up to 300°/sec		
and tilt up to 300°/sec		
6.Minimum 256 Preset Positions & 5		
Tours		
7.High speed preset at 300 °/sec with		
high accuracy with $\pm/-0.045^{\circ}$		
8.Built-in web browser for easy		
configuration		
9.Shall support dynamic noise		
reduction.		
10.Shall Support MPEG-4, H.264,		
JPEG		
11.ONVIF Compliant		
12.The camera shall support		
bidirectional audio, using G.711 64		
kbps and G.726 (40, 32, 24, 16 kbps)		
codecs.		
13.The camera shall have privacy		
zone masking which blocks out		
unwanted or prohibited area within		
the video image to protect privacy.		
Mask colors shall be Black,		
any of 6 shades of Gray, White,		
Green, Yellow, Red, Cyan, Magenta,		
and Blue. The camera shall be		
capable of masking up to 8 areas.		
Such capability shall be via		
vendor supplied utility software or		
the browser-based setup menu.		
14.The camera shall support IP		
Filtering, whereby access to the		
camera can be restricted to one or		
more groups of selected users. Up to		
10 different groups can be established		
by defining		
an IP address range for each		
group.		

15. The camera shall be capable of	
limiting the bandwidth from 64 kbps	
to 8 Mbps in MPEG-4 or H.264, and	
from 0.5 Mbps to an unlimited	
bandwidth in JPEG.	
16.The camera shall be capable of	
pre- and post-alarm buffering.	
17. The camera shall also have an	
'Edge Storage' function that operates	
as follows:	
i. Capable of storing up to pre-	
alarm and post-alarm images and	
audio on a SD/SDHC memory card.	
ii. Record in the codec format	
selected for monitoring.	
selected for monitoring.	
::: Descudius to this store or our	
iii. Recording to this storage area	
can be done manually or when an	
alarm is triggered.	
iv. The trigger can be based on	
sensor input or network	
disconnection, or a combination of	
those alarms using Boolean operands	
such as a logical 'AND', 'OR', or	
'THEN'.	
v. Capable of streaming the	
recorded data using the same	
protocols as live streaming such as	
RTP/HTTP/TCP/IP or RTP/RTSP	
(IPv4), so that the user can view	
recorded	
image while recording.	
vi Conchia of simultaneousla	
vi. Capable of simultaneously	
streaming live video with recorded	
video by using different sessions.	
vii. Capable of downloading the	
recorded video at a variety of speed	
rates such as 0.5x and 2x speed.	
18.The camera shall have an AGC	
capability up to 28 dB.	
19.White balance shall be selected	
among Auto, Indoor, Outdoor, One	
push WB, Sodium Vapour lamp, or	
Manual.	
iviallual.	

20. The camera shall meet the following minimum technical		
requirements.		
TECHNICAL PARAMETER	SPECIFICATION	COMPLAINCE (YES or NO)
Image Device	1/3" or ¹ /4" –type Exview HAD CCD	
Minimum Illumination	Color: 0.91x (F1.6, shutter 1/30sec, AGC ON, 30IRE[IP])	
	B/W: 0.11x (F1.6, shutter 1/30sec, AGC ON, Night Mode, 30IRE[IP])	
No. Of effective pixels	Approx. 0.44 mega pixels	
Electronic Shutter	1~1/10,000 Sec	
Auto Gain Control	Auto/Mannual	
Exposure control	Auto, Full auto, Shutter-priority, Iris-priority, Manual, EV compensation, Backlight compensation	
White balance mode	Auto, Indoor, Outdoor, One-push WB, ATW, Manual	
Lens Type	Auto focus zoom lens	
Zoom Ratio	36X Optical, 12X digital	
Horizontal Viewing angle	57.8 to 1.7 degrees	
Focal Length	f=3.4 to 122.4 mm	
F Number	F1.6 to F4.5	
Minimum object distance	10mm (wide) to 1500mm (tele)	
Pan angle	340 degrees endless rotation	
Pan speed	300 degrees/s (max.)	
Tilt angle	105 degrees (with e-flip)	
Tilt speed	300 degrees/s (max.)	
Preset	256	
Tour	5	
Day/Night	Yes	
Wide Dynamic	Yes (92 db)	
Digital Noise Reduction	Yes	
Codec Image Size	720×576, 704×576, 640×480, 384×288,, 320×240	
Video Compression format	H.264, MPEG-4, JPEG	
Maximum Frame Rate	25 fps (H.264/MPEG-4/JPEG))	
Audio Compression	G.711/G.726	
Intelligent Motion Detection	Yes, On board analytics.	

Voice alert	Required. Shall support the Voice alert function, which can automatically play an audio file stored on the camera by an alarm trigger using motion detection	
Camera tampering	Required	
Protocols	IPv4, IPv6, TCP, UDP, ARP, ICMP, IGMP, HTTP, HTTPS, FTP (client/server), SMTP, DHCP, DNS,NTP, RTP/RTCP, RTSP, SNMP (MIB-2)	
Outdoor Housing	Camera shall have Vandal Resistant Ik10 and IP68 Housing with built in heater and blower.	
Codec Streaming Capability	Dual	
Ethernet	10BASE-T/100BASE-TX (RJ-45)	
Local storage	SD/SDHC card	
Sensor input	2	
Alarm output	1	
No. Of clients	5	
External Micro phone Input	Mini-jack	
Audio line put	Mini-jack	
Operating temperature	-5 to 50 degree	
Operating humidity	20 to 80%	
Safety regulatory	UL, EN	
Power Requirement	hPoE, 24V AC	

TECHNICAL SPECIFICATION FOR NETWORK ATTACHED STORAGE(NAS) AND SURVEILLANCE SOFTWARE.

TECHNICAL PARAMETER	SPECIFICATION	COMPLAINCE (YES or NO)
Processor	Should be an Quad core Intel	
	Apollo Lake J3455 1.5GHz	
	processor or higher	
Memory	Minimum 8GB DDR3 RAM on	
Wembry	board	
Flash memory	Should have minimum 4GB eMMC	
r lash memory	Flash memory onboard	
	Primary NAS should be 12 x 3.5"or	
	2.5" SATA 6Gb/s, 3Gb/s HDD or	
Internal storage	SSD with hot swappable with 48TB	
	storage using enterprise 7.2KRPM	
	grade drives.	
	Should have minimum Quad GbE	
	Ports, Quad USB 3.0 ports, One	
Network ports	HDMI port and 1x PCIe gen 2x2	
	slot for M.2 SSD or 10GbE or USB	
	3.1 NIC to be supported	
	The NAS should support QM2 card	
	to provide M.2 SSD caching/10GbE	
	connectivity, or use NAS as a	
PCI Exapsnion	wireless access point by installing a	
	compatible wireless network card,	
	or boost the USB connectivity via	
	USB 3.1 10Gbps card.	
	The primary NAS should be	
Storage expansion	scalable up to additional 12 Slots to	
	cater future data increment.	
	The NAS should support SSD	
SSD Caching	caching to boost the IOPS	
~~6	performance of storage volumes.	
	Should support dual-channel 4K	
	H.264/H.265 hardware decoding	
	and on-the-fly or offline	
	transcoding.	
Transcoding	Should support Transcode video	
	files to 240p, 360p, 480p, 720p and	
	1080p resolution	
	Should support Automatic video	
	transcoding for watched folders	
	Should be 2U Rack form factor	
Form Factor	with 250W Redundant Power	
	Supply	
	Should support flexible	
Storage Manager	Volume/LUN with thin	
	provisioning and space reclaim	

	Should support RAID 0,1, 5, 6, 10,
	+ hot spare, JBOD, single, Global
	hot spare and storage pools
	Should Support Qtier technology
	and auto-tiering technology
	Should support snapshot manager,
	clone, vault, replica, snapshot agent
	for Microsoft windows and
	Vmware vsphere.
	Should support total RAW storage
	capacity up to 240TB via USB 3.0
	expansion enclosure
	Should support RAID recovery,
	bitmap support and SSD read-
	only/read-write cache
	Should support Batch wise creation
	and import/export users
	Should support Local access control
Access Right Management	for CIFS, AFP, FTP, and WebDAV
	Should support Subfolder
	permissions support for CIFS/SMB,
	AFP, FTP, and File Station
	Should support Microsoft Active
	Directory (AD) & Domain
	Controller support, LDAP server
Domain Authentication Integration	and LDAP client to be supported
	Should support Domain users login
	via CIFS/SMB, AFP, FTP, and File
	Station
	Network access protection with
	auto-blocking: SSH, Telnet,
	HTTP(S), FTP, CIFS/SMB, AFP
	Should support AES 256-bit
Networking motocolo	external drive encryption, 2-step
Networking protocols	verification
	Should support importable SSL
	certificates
	Should support CIFS host access
	control for shared folders
	Should support Virtual Machine
	(VM) creation to run operating
Virtualization	systems such as Windows, Linux,
	Unix and Android
	Should support VM import, export,
	VM cloning & snapshots
	Should support VM console to be
	displayed via HDMI output
	Should support LVC and Dealter
Container station	Should support LXC and Docker
	and Download applications from the built-in Docker Hub Registry
	Should be one-click installation,

	container export/import & console mode
	Should supports auto-start containers
Synchronization	Should sync files among multiple devices with SSL support Selective synchronization for
	syncing specific folders only
	Should support dynamic DNS (DDNS) and SNMP
Web Administration	should have network recycle bin for file deletion via CIFS/SMB and AFP
	Should support iSCSI target with multi-LUNs per target
iSCSI (IP-SAN)	Should support LUM mapping and masking
	Should support iSCSI LUN backup, one-time snapshot and restoration
	Supply of NAS should support both RTRR server & client with
	bandwidth control Should support remote replication
	server over rsync Should support real time remote
	replication to another NAS of FTP server
	Should support syncing with Microsoft OneDrive, Google Drive, Dropbox, Amazon Drive, Box.
Hybrid Backup station	Should support syncing with remote servers through RTRR, Rsync, FTP, and CIFS/SMB
	Should support encryption, compression, file filters and transfer rate limitation
	Should supply Windows client machine backup agent software
	with the NAS; Should supply to synchronizes with
	third party cloud storage Should support Instant alerts via
	email, SMS, beep, push service, and OLED panel
	Should support PPTP and openVPN services
VPN Client	should support PPTP Authentication: PAP, CHAP, MS-
	CHAP, MS-CHAPv2 and PPTP AES 40/128 bit, AES 256 bit
	120 TU/120 UII, ALO 200 UII

	Should have fifty six camera license for recording and to be scalable up	
	to 128 cameras via additional	
	camera license purchase	
	The supply of Nas should be	
	bundled with VMS for additional	
	camera license to be added in the	
	bid	
	The supply of NAS should support	
	open event platform for easy	
	integration with APIs	
	the supply of NAS should support	
Video Management Software	storage expansion in future via USB 3.0 connectivity	
	, , , , , , , , , , , , , , , , , , ,	
	the supply of Nas should support ONVIF cameras and QUSBCam2	
	Should support cross network	
	camera search	
	Should support assigning dedicated	
	bandwidth to each camera to	
	optimize the use of NAS system	
	resources and ensure smoother	
	recordings.	
	Should support 360 degree cameras	
	for easily monitoring wider area	
	Should support Pre-allocate storage	
	capacity and assign dedicated	
Flexible recording space management	storage space for each camera's	
r lexible recording space management	recordings.	
	should support Failover Recording	
	Space for 24/7 Recording	
	Should support client software to be installed on Windows® and Mac®	
	devices	
	Should support allowing you to	
	monitor from different platforms	
	and flexibly switch from live view	
	or playback mode to take full	
	control over the monitored area.	
Client Management software	Should support Monitoring the live	
	view of multiple channels and play	
	recordings on a single interface.	
	Should support dynamic layout	
	allowing to change each channel's	
	display ratio, arrange the display.	
	Should support Region of Interest	
	(ROI) feature supports multiple	
	regional images from the same	
	camera in live view and playback	
	mode	

The ROI should support defining
and enlarge multiple areas on the
overview image with no selection
limitations or additional licenses
required.
1
Should support Qdewarp features
enabling users to view standard
fisheye camera recordings in
proportional ratios and sizes
without affecting original
recordings
Should support multiple ways of
emerging events, including flashing
red borders of channels, alert
buzzers, and the motion icon on the
e-map.
should support monitoring at
anytime anywhere with the VMS
Client mobile app
Should support privilege settings,
allowing for setting individual or
group access privileges, providing
suitability for environments of all
sizes
Should support creating new roles
and give customized access to view
specific layouts and channels, and
also the e-map.
the NAS should have inbuilt
application for allowing central
management of multiple VMS's
installed in the premises
Should also support centrally
monitor live feeds, play back
surveillance footages and receive
event notifications from multiple
VMS's to reduce response times to
events.
Should support inbuilt application
to protect VMS from system failure
and to ensure uninterruptible
surveillance recordings
Should support failover
functionality that automatically
takes over recording tasks from the
VMS server if an unexpected
system fault or hardware failure
occurs.
Recording files should be saved on
software Guard NAS until the VMS
system reboots and functions

Software Guard should provide dependable redundancy for VMS, ensuring uninterrupted surveillance recordings.	
VMS should support additional camera license expansion functionality when required	

TECHNICAL SPECIFICATION I	FOR PROFESSIONAL DISPLAY	
TECHNICAL PARAMETER	SPECIFICATION	COMPLAINCE (YES or NO)
PANEL AND TYPE	IPS/ LED Panel or better	
SCREEN SIZE	55"	
BACKLIGHT SCANNING	100 Hz	
ASPECT RATIO	16:09	
RESOLUTION	1920(H) x1080 (V)	
VIEWING ANGLE (HORIZONTAL / VERTICAL)	178°(H)/178°(V) or better	
RESOLUTION	1920*1080(FHD)	
ASPECT RATIO	4:3/16:9/Zoom1/Zoom2/Just Scan, Native 16:9	
DNR (Noise Reduction)	Yes	
BACKLIGHT ADJUST	YES	
AUDIO OUTPUT POWER (RMS)	10W+10W(Max)	
SPEAKER TYPE	integrated speakers(6Ω), 20W	
CEC	YES	
ARC	YES	
AV1 IN	YES	
USB INPUT (2.0 SUPPORT)	2	
HDMI INPUT	3 (HDMI1.4)	
EARPHONE OUT	1	
PC AUDIO IN	YES(share with AV)	
PC(VGA IN)	YES	
RS232	YES	
Digital Audio out	SPDIF OUT(COAXIAL)	
USB DEVICE SUPPORT	FAT16, FAT32.NTFS(Read only)	
PICTURE FORMAT	JPEG, BMP,PNG	
AUDIO FORMAT	MP3, WMA	
VIDEO FORMAT	Mpeg1/2,H.264,VC1,HEVC,Mpeg4	

Sl No	LOCATION	TYPE OF CAMERA
51110		CAMENA
1	Girls Hostel –Old	IR Camera
2	Girls Mess – Old	Fixed Camera
3	Boys Hostel-1	IR Camera
4	Boys Hostel-2	IR Camera
5	VC Bungalow 1	IR Camera
6	VC Bungalow 2	IR Camera
7	Pre Fab Block (Entry & Exit Gates)	IR Camera
8	Shatavahana Play Ground	PTZ
9	Academic Block - AB1	IR Camera
10	Academic Block - AB2	IR Camera
11	Girls Hostel – 2	IR Camera
12	Girls Hostel – 1	IR Camera
13	Admin Building- 1	IR Camera
14	Guest House-1	IR camera
15	Boys Hostel BH2	IR Camera
16	Boys Hostel BH1	IR Camera
17	Shopping Mall	IR Camera
18	Main Gate - Entry	IR Camera
19	Main Gate - Exit	IR Camera
20	Approach road to Old mess and OAB	PTZ
21	Bank	IR Camera
22	Hospital	Fixed Camera
23	SAC Entrance	IR Camera
24	Dept Buildings	IR Camera

Camera Location List:

TECHNICAL SPECIFICATION FOR SWITCHES			
Make: CISCO	SPECIFICATION	COMPLAINCE (YES or NO)	
WS-C3850-12S-S			
12 Nos Gigabit Ethernet SFP-based models with 2 x 10G			
Cisco StackWise-480 technology provi 480 Gbps of stack throughput			
Cisco StackPower [®] technology provide members for power redundancy			
Dual redundant, modular power supplies and three modular fans providing redundancy			

Software support for IPv4 and IPv6 routing, multicast routing, modular Quality of Service (QoS), Flexible NetFlow (FNF), and enhanced security features				
Stackable 12 SFP Ethernet ports, with 350WAC power supply				
1 RU, IP Base feature set				
Switching capacity	68 Gbps on 12-port Gigabit Ethernet model			
Stacking bandwidth	480 Gbps			
Total number of MAC addresses	32,000			
DRAM	4 GB			
Flash	4 GB			
VLAN Ids	4,000			
Forwarding rate	227.28 Mpps			
WS-C3850-24T-S				
Stackable 24 10/100/1000 Ethernet por	rts, with 350WAC power supply			
1 RU, IP Base feature set				
Switching capacity	92 Gbps on 24-port Gigabit Ethernet model			
Stacking bandwidth	480 Gbps			
Total number of MAC addresses	32,000			
DRAM	4 GB			
Flash	4 GB			
VLAN Ids	4,000			
Forwarding rate	68.4 Mpps			
WS-C2960X-24TS-L				
24 Gigabit Ethernet ports with line-rat	e forwarding performance			
4 fixed 1 Gigabit Ethernet Small Form	-Factor Pluggable (SFP) uplinks			
Switching capacity	216 Gbps			
Unicast MAC addresses	16,000			
DRAM	512 MB for LAN Base			
Flash	128 MB for LAN Base			
VLAN Ids	4096			
Forwarding rate	108 Gbps			
CPU	APM86392 600 MHz dual core			

Section E

E.1 Bidding procedure – Separate bid for each schedule:

E.1. Offers should be made in **three** parts namely, **"Pre-qualification bid**", "Technical bid" and "Financial bid" and in the format given in bid document. Each offer should be placed separately.

1) EMD details should be given in the "Pre-qualification bid".

2) Tenders will be accepted only from those who have paid the tender document fee.

3) All correspondence should be with RGUKT contact person.

4) A complete set of bidding documents can be downloaded from the RGUKT's website (i.e.www.rgukt.ac.in) or from e-procurement platform (<u>www.eprocurement.gov.in</u>) and bidder has to submit the prescribed bid document price which is non-refundable in the form of Demand Draft drawn in favor of "Director, RGUKT, Basar " and payable at Basar, along with hard copy of the bid.

E.2. Pre-qualification bid:

It shall include the following information about the firm and/or its proposal.

- 1. General information on the bidder's company in Form P-1
- 2. Turn over details in relevant field in Form P-2A for Schedule-I
- 3. Turn over details of the product (Brand) offered in Form P-2B for Schedule-I
- 4. List of major customers in support of turnover in Form P-3
- 5. Details of service centers in Telangana in Form P-4
- 6. Certificates like OEM ISO, etc. in Form P-5 (Bidder's format)
- 7. Manufacturer's authorization to participate in bidding process apart from such other documents like authorization certificate for dealing in the products for which bid is submitted. (However this will not apply to Manufacturers) in Form P-6 (Bidder's format)

E.3. Technical Bid:

- 1. Deviation(s) to technical specification if any in Form T-1
- 2. Detailed technical documentation, reference to various industry standards to which the products / services included in vendor's offer conform, and literature concerning the proposed solution in Form T-2 (Bidder's format)
- 3. Other information, if any required in the bid document in Form T-3 (Bidder's format)
- 4. As per Section A.4 details of proposed site engineers to be deployed should be furnished.

E.4. Financial bid:

a. The financial bid should provide cost calculations for 3 years warranty corresponding to unit price of each item of the schedule-I in Form F-1.

Section F

Bid evaluation procedure:

Bids would be evaluated for each schedule separately. Bidders should offer prices for all the items of Schedules and for the full quantity of an item of Schedule failing which such bid will not be considered. Technical bid documentation should be in the prescribed format. If a vendor has any comment to offer about the procedural aspects of this tender, it should be intimated to RGUKT and get clarification before submitting bid. Nothing will be entertained in this regard after the bid clarifying date. In case the schedule or procedure of tender processing is revised, the same shall be communicated by e-mail/Fax to all vendors who have paid the tender document fee.

F.1. Opening of bids.

The RGUKT contact person shall open the pre-qualification bid, and list them for further evaluation. The Technical bids of only those bidders who qualify in the pre-qualification stage. The Financial bids of only those bidders will be opened who qualify in the Technical bid evaluation stage will be opened.

F.2. Pre-qualification bid documentation:

The Pre-qualification bid documentation shall be evaluated in two sub-steps. Firstly, the documentation furnished by the vendor shall be examined prima facie to see if the technical skill base and financial capacity and other vendor attributes claimed therein are consistent with the needs of this project. In the second step, RGUKT may ask vendor(s) for additional information, visit to vendors site and/or arrange discussions with their professional, technical faculties to verify claims made in Pre-qualification bid documentation.

F.3. Technical bid documentation

Technical bid documentation shall be evaluated in two sub-steps. Firstly, the documentation furnished by the vendor shall be examined prima facie to see if the Product/ services offered, technical skill base and financial capacity and other vendor attributes claimed therein are consistent with the needs of this project. In the second step, RGUKT may ask vendor(s) for additional information, visit to vendors site and/or arrange discussions with their professional, technical faculties to verify claims made in technical bid documentation.

F.4. Award Criterion

Final choice of firm to execute the project shall be made of the basis of conformity to technical specifications, appropriateness of the product offered, capability of bidder to execute and service the project and appropriateness of financial offer from the point of view of cost-effectiveness over the entire maintenance period for the product/services.

Section G

General instructions to bidders

G.1. Definitions:

- 1. **Tender call or invitation for bids** means the detailed notification seeking a set of solution(s), service(s), material(s) or any combination of them.
- 2. **Specification** means the functional and technical specifications or statement of work, as the case may be.
- 3. **Firm** means a company, authority, co-operative or any other organization incorporated under appropriate statute as is applicable in the country of incorporation.
- 4. Bidder means any firm offering the solution(S), service(S) and/or materials required in the tender call. The word vendor when used in the pre award period shall be synonymous with bidder and when used after award of the contract shall mean the successful bidder with whom RGUKT signs the contract for rendering of goods and services.
- 5. **Pre-qualification and Technical bid** means that part of the offer, that provides information to facilitate assessment by RGUKT, professional, technical and financial standing of the bidder, conformity to specifications etc.
- 6. **Financial Bid** means that part of the offer, that provides price schedule, total project costs etc.
- 7. **Three part Bid** means the pre-qualification bid, technical and financial bids submitted in RGUKT at sealed cover.
- 8. **Two part Bid** means the Technical bid and financial bids are submitted in RGUKT at sealed cover.
- 9. **Composite bid** means a bid in which the technical and financial parts are combined into one but their evaluation is sequential.
- 10. **Goods and services** mean the solution(s), service(s), material(s) or a combination of them in the context of the tender call and specifications.
- 11. The word goods when used singly shall mean the hardware, firmware component of the goods and services.
- 12. **Maintenance period** means period mentioned in bid document for maintaining the systems beyond warranty period.

G.2. General eligibility

- 1. This invitation for bids is open to all firms both from within and outside India, who are eligible to do business in India under relevant Indian laws as is in force at the time of bidding subject to meeting the pre qualification criterion.
- Bidders marked/considered by RGUKT to be ineligible to participate for non-satisfactory past performance, corrupt, fraudulent or any other unethical business practices shall not be eligible.
- Breach of general or specific instructions for bidding, general and special conditions of contract with RGUKT or any of its user organizations may take a firm ineligible to participate in bidding process.

G.3. Bid forms:

- 1. Wherever a specific form is prescribed in the bid document, the bidder shall use the form to provide relevant information, If the form does not provide space for any required information, space at the end of the form or additional sheets shall be used to convey the said information.
- 2. For all other cases the bidder shall design a form to hold the required information.

G.4.Cost of bidding:

- The bidder shall bear all costs associated with the preparation and submission of its bid, and RGUKT will in no case be responsible for those costs, regardless of the conduct or outcome of the bidding process.
- 2. Bidder is expected to examine all instructions, forms, terms, and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or to submit a bid not substantially responsive to the bidding documents in every respect will be at the bidder's risk and may result in the rejection of its bid.

G.5. Clarification of bidding documents:

- 1. A prospective vendor requiring any clarification of the bidding documents may notify RGUKT contact person. Through e-mail mentioned of the RGUKT response (including an explanation of the query but without indentify the source of inquiry) will be uploaded on the RGUKT's website and e-procurement platform.
- 2. The concerned person will respond to any request for clarification of bidding documents which it receives not later than bid clarification date mentioned in the notice prior to deadline for submission of bids prescribed in the tender notice. No clarification from any bidder shall be entertained after the close of date and time for seeking clarification mentioned in tender call notice. It is further clarified that RGUKT shall not entertain any correspondence regarding delay or non-receipt of clarification from RGUKT.

G.6.Amendment of bidding documents:

- 1. At any time prior to the deadline for submission of bids. RGUKT, for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, may modify the bidding documents by amendment.
- 2. The amendments if any, shall be uploaded on RGUKT's website and e-procurement platform, and such modification will be binding on all bidders.
- 3. In order to allow prospective bidders reasonable time in which to take the amendment into account in preparing their bids, the RGUKT, at its discretion, may extend the deadline for the submission of bids.

G.7.Period of validity of bids:

- 1. Bids shall remain valid for the days or duration specified in the bid document, after the date of bid opening prescribed by RGUKT. A bid valid for a shorter period shall be rejected as non-responsive.
- 2. In exceptional circumstances, the RGUKT may solicit the bidders' consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The bid security shall also be suitably extended. A bidder granting the request will not be permitted to modify its bid.

G.8.Submission of bids:

1. The bidders shall submit all the bids i.e. pre-qualification, technical and commercial to RGUKT through e-procurement website. And hard copies of the documents are to be submitted by the date and time mentioned.

G.9.Deadline for submission of bids:

- 1. Bids must be submitted to RGUKT no later than the bid submission date and time specified in the tender call notice.
- 2. The RGUKT may, at its discretion, extend this deadline for the submission of bids by amending the tender call, in which case all rights and obligations of the RGUKT and bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

G.10.Late bids:

Any bid not received by the RGUKT contact person by the deadline for submission of bids will be rejected and returned unopened to the bidder.

G.11.Modification and withdrawal of bids:

- 1. No bid can be modified subsequent to the deadline for submission of bids.
- 2. No bid can be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity. Withdrawal of a bid during this interval will result in the forfeiture of its bid security(EMD).

G.12.General business information:

The bidder shall furnish general business information to facilitate assessment of its professional, technical and commercial capacity and reputation.

G.13.Bid security i.e. earnest money deposit (EMD):

- 1. The bidder shall furnish, as part of its bid, a bid security for the amount specified in the tender call notice.
- 2. The bid security is required by RGUKT to:
 - a. Assure bidder's continued interest till award of contract and
 - b. Conduct in accordance with bid conditions during the bid evaluation process.
- 3. The bid security shall be in Indian rupees and shall be a bank guarantee, or an irrevocable letter of credit or cashier's certified check, issued by a reputable bank scheduled in India and having at least one branch office in Basar.
- 4. Unsuccessful bidder's bid security will be discharged or returned as promptly as possible but not later than thirty (30) days after the expiration of the period of bid validity prescribed by RGUKT.
- 5. The successful bidder's bid security will be discharged upon the bidder signing the contract, and furnishing the performance security.
- 6. The bid security may be forfeited:
 - a) If a bidder withdraws its bid during the period of bid validity or
 - b) In the case of a successful bidder, if the bidder fails:
 - 1. to sign the contract in time;

or

2. to furnish performance security

G.14.Preparation of Pre-qualification bid:

It shall contain of the following parts:

- 1. General business information
- 2. Turnover details
- 3. Major clients' details
- 4. Service centre details
- 5. Bid Security(EMD)
- 6. Any other relevant information

G.15 Preparation of technical bid

It shall consist of the following parts.

- 1. Technical documentation-confirmation to technical specification etc.
- 2. Plan for in lab proof of concept, if required in tender call.

- 3. Plan for field demonstration if required in tender call
- 4. Detailed technical documentation, reference to various industry standards to which the goods and services included in vendor's offer conform, and other literature concerning the proposed solution, In particular, the vendors should indentify areas in which their solution conforms to open standards and areas that are proprietary in nature. Justification about proprietary components in terms of functionality and performance should be given.
- 5. A Statement about appropriateness of the product design and solution plan for operating conditions in India, including physical, infrastructure and human factors.
- 6. In the case of a bidder offering to supply goods under the contract which the bidder did not manufacture or otherwise produce, the bidder has been duly authorized by the good's manufacture or produces to supply the goods in India.
- 7. A Statement of the serviceable life of goods and services offered by the firm. Available sources of maintenance and technical support during the serviceable life. Available sources of spare parts. Special tools, etc. Necessary for the proper and continuing functioning of the goods and services, for the serviceable life.

G.16 Preparation of financial bid

Overview of Financial bid

1. The financial bid should provide cost calculation corresponding to each component of the project.

2. Bid Prices

- a. The bidder shall indicate the unit process (where applicable) and the total bid price of the goods/services it proposes to supply under the contract.
- b. The bidder shall indicate Basic Prices and taxes, duties etc. (if required) in the form prescribed.
- c. **B**idder's separation of price components will be solely for the purpose of facilitating the comparison of bids by RGUKT and will not in any way limit the purchaser's right to contract on any of the terms offered.
- d. Prices quoted by the bidder shall be fixed during the bidder's performance of the contract and not subject to variation on any account unless otherwise specified in the tender call. A bid submitted with an adjustable prices quotation will be treated as non responsive and will be rejected.
- **3.** Bidder should quote all the columns in the financial bid otherwise the bid stands invalid.
- 4. Bid currency:

Prices shall be quoted in Indian rupees

Section H Standard procedure for opening and evaluation of bids

H.1. Outline of bid Opening procedure

- The bid opening and evaluation process will be sequential in nature. Means that bidder must qualify a particular stage to be eligible for next stage. Immediately after the closing time, the RGUKT authorized person shall open the Pre- qualification bids and list them for further evaluation. The Technical bids of only those bidders who qualify in the prequalification bid will be opened at the date that will be informed by RGUKT. After evaluation of technical bids, the financial bids of only those bidders who qualify in technical evaluation will be opened.
- 2. The Standard procedure, described here will stand appropriately modified, in view of special procedures of bid evaluation as mentioned in tender call or else where in this bid document of decided by RGUKT during the course of evaluation to meet any specific situation or need arising from time to time

H.2 General guidelines for bid opening and evaluation:

Bids will be in three parts (Pre-qualification, technical and financial) or two parts (Technical and financial) or composite bid (technical and financial bid together) as indicated in the tender call. For three part bids there will be three bid opening events, in tow part bid there will be two bid opening events and in case of composite bids there will be only one bid opening event. Following guidelines will generally be followed b RGUKT officers at each such event. However RGUKT may deviate from these in specific circumstances if it feels that such deviation are unavoidable. Or will improve speed of processing and consequent project execution.

1. Opening of Bids

a. Bids will be opened at the schedule time and date

2. Preliminary examination of Bids

- a. Preliminary scrutiny will be made to determine where they are complete, whether any computational errors have been made, whether required sureties have been furnished, where the documents have been properly signed, and whether the bids are generally in order.
- b. Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected. If the vendor does not accept the correction of the errors, its bid will be rejected and its bid security may be forfeited, If there is a discrepancy between words and figures the amount in words will prevail.
- c. RGUKT may waive any minor informality, nonconformity or irregularity in a bid which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any bidder.
- d. Prior to the detailed evaluation, RGUKT will determine the substantial responsiveness of each bid to the bidding documents. For purposes of these clauses, a substantially responsive bid is one which conforms to all the terms and conditions of the bidding documents without material deviations.

e. If a bid is not substantially responsive, it will be rejected by the RGUKT and may not subsequently be made responsive by the bidder by correction of the nonconformity.

3. Clarification of bids

During evaluation of the bids, RGUKT may, at its discretion, ask the bidder for clarification of its bid.

4. Evaluation of Pre- qualification bids

- Pre qualification bid documentation shall be evaluated in two sub-steps.
 - a. Firstly, the documentation furnished by the vendor will be examined prima facie to see if the technical shill base and financial capacity and other vendor attributed claimed therein are consistent with the needs of this project.
 - b. In the second step, RGUKT may ask vendor(s) for additional information, visit to vendors site and/or arrange discussions with their professional, technical faculties to verify claims made in technical bid documentation

5. Evaluation of technical bids:

Technical bid documentation shall be evaluated in two sub-steps

- a. Firstly, the documentation furnished by the vendor will be examined prima facie to see if the technical shill base and financial capacity and other vendor attributed claimed therein are consistent with the needs of this project.
- b. In the second step, RGUKT may ask vendor(s) for additional information, visit to vendors site and/or arrange discussions with their professional, technical faculties to verify claims made in technical bid documentation
- c. **Benchmark tests:** The University will follow its own bench mark test for evaluation of the equipment/devices.
- d. If fails to qualify in the benchmark test will not be allowed to participate in the commercial bid.

6. Field demonstration

RGUKT will identify a part or segment of the proposed project site. The concerned bidder, on demand should be able to demonstrate functional requirements as described in the specifications.

7. Evaluation of financial bids

Financial bids of those vendors who satisfy all phases of the pre-qualification and technical bids corresponding to chosen technical bid choices will only be opened. All other financial bids will be ignored. RGUKT will assess the nature of financial offers and may pursue any or all of the options mentioned under financial bid. RGUKT may at its discretion discuss with vendor(s) available at this stage to clarify contents of financial offer.

8. General Evaluation of bids

1. Evaluation of financial bids will exclude and not take into account any offer not asked for or not relevant to the present requirements of under.

- 2. Past tract record of bidder in supply/services and
- 3. Any other specific criteria indicated in the tender call and /or in the specifications.

H.3. Performance and productivity of the equipment

Bidders shall state the guaranteed performance or efficiency in response to the specifications.

H.4. Contacting RGUKT

- 1. Bidder shall not approach RGUKT officers outside of office hours and/or outside RGUKT office premises, from the time of the tender call notice to the time the contract is awarded.
- 2. Any effort by a bidder to influence RGUKT officers in the decisions on bid evaluation, bid comparison or contract award may result in rejection of the bidder's offer and bidder may also be marked as ineligible for future bids, If the bidder wishes to bring additional information to the notice of the RGUKT, it should do so in writing

H.5. RGUKT's right to vary quantities at time of award

RGUKT reserves the right at the time of award to increase or decrease the quantity, as indicated in tender cal, from the quantity of goods and services originally specified in the specification without any change in unit price or other terms and conditions

H.6 RGUKT's right to accept any bid and to reject any or all bids

RGUKT reserves the right to accept or reject any bid , and to annual the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder(s) or any obligation to inform the affected bidder(s) of the grounds for such decision

H.7. Notification of award

- 1. Prior to expiration of the period of bid validity, RGUKT will notify the successful bidder in writing, that its bid has been accepted.
- 2. Upon the successful bidder's furnishing of performance security, RGUKT will promptly notify each unsuccessful bidder and will discharge its bid security.

H.8. Signing of contract

1. At the same time as the RGUKT notifies the successful bidder that its bid has been accepted, the RGUKT will send the bidder the Contract from provided in the bidding documents, incorporating all agreements between the parties.

2. On receipt of the Contract Form, the successful bidder shall sign and date the contract and return it to the RGUKT.

H.9. Performance Security

- 1. On receipt of notification of award from the RGUKT, the successful bidder shall furnish the performance security in accordance with the conditions of contract, in the performance security form provided in the bidding documents or in another form acceptable to the RGUKT
- 2. Failure of the successful bidder to sign the contract, proposed in this document and as may be modified, elaborated or amended through the award letter, shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, in which event the RGUKT may make the award to another bidder or call for new bids.

H.10. Corrupt, fraudulent and unethical practices

- 1. "Corrupt practice" means the offering , giving , receiving or soliciting of anything of value to influence the action of a public official in the process of contract execution and
- 2. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of contract to detriment of the purchaser, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid process at artificial non-competitive levels and to deprive the Purchases or the benefits of free and open competition:
- 3. "Unethical practice" means any activity on the part of bidder, which try to circumvent tender process in any way. Unsolicited offering of discounts, reduction in financial bid amount, upward revision of quality of goods etc after opening of first bid will be treated as unethical practice.
- 4. RGUKT will reject a proposal for award and also may debar the bidder for future tenders in RGUKT, it is determines that the bidder has engaged in corrupt, fraudulent or unethical practices in competing for, or executing a contract.

Section – I

General conditions of proposed contract(GCC)

I.1. Definitions

In this contract, the following terms shall be interpreted as indicated. Terms defined in general instruction to bidders section shall have the same meaning

- a) "Contract" means the agreement entered into between the RGUKT and the vendor, as recorded in the contract form signed by the parties, including all attachments and appendices there to and all documents incorporated by reference therein
- **b)** "**Contract price**" means the price payable to the vendor under the contract for the full and proper performance of its contractual obligations;
- c) "Incidental services" means those services ancillary to the supply of the goods and services, such as transportation and insurance and any other incidental services, such as installation, commissioning, provision of technical assistance, training and other such obligations of the vendor covered under the contract;
- d) "GCC" means the general conditions of contract contained in this section.
- e) "SCC" means the special conditions of contract if any.
- f) "RGUKT" means the Rajiv Gandhi University of Knowledge Technologies.
- g) "Purchase/User' means ultimate recipient of goods and services
- **h)** "Vendor or Bidder" means the individual or firm supplying the goods and services under this contract.
- i) "Project site", where applicable, means the place(s) where goods/services are to be made available to user.
- **j)** "**Day**" means calendar day
- **k) "Up time"** means the time periods where specified services with specified technical and service standards are available to under(s)
- I) "Down time" means the time period when specified services with specified technical and service standards are not available to user(s)

I.2. Application

These general conditions shall apply to the extent that they are not superseded by provisions of other parts of the contract.

I.3.Standards

The goods supplied under this contract shall conform to the standards mentioned in the specifications, and, when no applicable standard is mentioned, the authoritative standards appropriate to the goods' country of origin shall apply. Such standard shall be the latest issued by the concerned institution

I.4. Use of documents and information

1. The vendor shall not, without prior written consent from RGUKT, disclose/share/use the bid document, contract, or any provision thereof, or any specification, plan drawing, pattern, sample or information furnished by or on behalf of the RGUKT in connection therewith, to any person other than a person employed by the vendor in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only, so far as may be necessary for purposes of such performance.

- 2. The Vendor shall not, without prior written consent of RGUKT, make use of any document or information made available of the project, except for purposes of Performing the Contract.
- All project related document (including this bid document) issued by RGUKT, other than the contract itself, shall remain the property of the RGUKT and shall be returned (in all copies) to the RGUKT on completion of the Vendor's performance under the contract if so required by the RGUKT.

I.5.User license and patent rights

- 1. The Vendor shall provide licenses for all software products, whether developed by it or acquired from others. In the event of any claim asserted by a third party for software piracy, the vendor shall act expeditiously to extinguish such claim. If the vendor fails to comply and the RGUKT is required to pay compensation to a third party resulting from such software piracy, the vendor shall be responsible to a compensation including all expenses, court costs and lawyer fees. The RGUKT will give notice to the vendor of such claim, if it is made, without delay.
- 2. The vendor shall indemnify the purchases against all third party claims of infringement of patent, trademark or industrial design rights arising from use of the goods, software package or any part thereof.

I.6. Performance security

- 1. On receipt of notification of award, the vendor shall furnish performance security to RGUKT in accordance with bid document requirement.
- 2. The performance security shall be payable to the RGUKT as compensation for any loss resulting from the supplier's failure to complete its obligations under the contract.
- 3. The performance security shall be denominated in Indian rupees or in a freely convertible currency acceptable to RGUKT and shall be in one of the following forms:
 - a) A bank guarantee or an irrevocable letter of credit, issued by a reputed bank located in India with at least one branch office in Basar, in the form provided in the bidding document or another form acceptable to the RGUKT; or
 - b) A cashier's cheque or banker's certified cheque or crossed demand draft or pay order drawn in favor of the RGUKT.
- 4. The performance security will be discharged by the RGUKT and returned to the vendor not later than thirty (30) days following the date of completion of all formalities under the contract and if activities, post warranty, by the vendor is envisaged, following receipt of a performance guarantee for annual maintenance as per bid document.
- 5. In the event of any contract amendment, the vendor shall, within 15 days of receipt of such amendment, furnish the amendment to the performance security, rendering the same valid for the duration of the contract.

I.7 Manuals and drawings

1. Before the goods and services are taken over by the user, the vendor shall supply operation and maintenance manuals, (together with drawings of the goods and services where applicable).

- 2. The vendor shall provide complete technical documentation of hardware, firmware, all subsystems, operating systems, complier, system software and the other software.
- 3. The manuals and drawings wherever applicable shall be in English or Telugu.
- 4. At least one set of the manuals should be supplied for each installation sites.
- 5. Unless and otherwise agreed, the goods and services shall not be considered to be completed for the purpose of taking over until such manuals and drawings have been supplied to the user.

I.8. Inspection and acceptance tests

1. Inspection and tests prior to shipment of Goods and at final acceptance are as follows:

- a) Inspection of the goods shall be carried out to check whether the goods are in conformity with the specifications mentioned in the bid document. Following broad test procedure will generally be followed for inspection and testing of hard ware and firm wares. The vendor will dispatch the goods to the ultimate consignee after internal inspection testing along with the supplier's inspection report, manufacturer's warranty certificate. The RGUKT will test the equipment after completion of the installation and commissioning at the site of the installation. (If site preparation is not included in the tender call or specification, the vendor should furnish all details of the site requirement to the RGUKT sufficiently in advance so as to get the works completed before receipt of the equipment.)
- b) The Inspections and tests, at the discretion of RGUKT, may be conducted on the premises of the vendor or its subcontractor(s), at point of delivery, and / or at the good's final destination. If conducted on the premises of the vendor or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspections at no charge to the RGUKT.
- c) Should any inspected or tested goods fail to conform to the specifications the RGUKT may reject the goods, and the vendor shall either replace the rejected goods or make alterations necessary to meet specifications requirements free of cost to the RGUKT/user.
- d) RGUKT' right to inspect, test and, where necessary reject the goods after the goods' arrival at user's site shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by the RGUKT or its representative prior to the goods shipment from the country of origin.
- e) Nothing in this clause shall in any way release the vendor from any warranty or other obligations under this contract.

- f) The acceptance test will be conducted by the RGUKT, their consultant or any other person nominated by the RGUKT, at its option. There shall not be any additional charges for carrying out acceptance tests. Any reduction in functional requirements, and performance specifications shall be ground for failure. Any malfunction, partial or complete failure of any part of hardware, firmware or excessive heating of hardware enclosures, motors attached to printers, drivers etc. or bugs in the software shall be grounds for failure of acceptance test. All the software should be complete and no missing modules/sections will be allowed. The vendor shall maintain necessary log in respect of the results of the tests to established to the entire satisfaction of the RGUKT, the successful completion of the test specified. And average uptake efficiency of 97% for the duration of test period (7 days) shall be considered as satisfactory.
- g) In the event of the hardware and software failing to pass the acceptance test, A period not exceeding two weeks will be given to rectify the defects and clear he acceptance test, failing which the RGUKT reserves the rights to get the Equipment replaced by the vendor at no extra cost to the RGUKT/user.

I.9. Acceptance certificates

On successful completion of acceptability test, receipt of deliverables etc, and after RGUKT is satisfied with the working of the system, the acceptance certificate signed by the vendor and the representative of the RGUKT will be issued. The date on which such certificate is signed shall be deemed to be the date of successful commissioning of the systems.

I.10. Packing

- 1. The vendor shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperature, salt and precipitation during transit and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- The packing, marking and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the RGUKT.

11. Delivery and documents

- 1. Delivery of the goods/services shall be made by the vendor in accordance with the terms specified in schedule of requirements. The details of shipping and / or other documents to be furnished and submitted by the vendor are specified below.
- 2. For Goods supplied from abroad:

- a. Within 24 hours of shipment, the vendor shall notify the RGUKT and the Insurance Company by cable or telex or fax full details of the shipment including contract number, description of goods, quantity, the vessel, the bill of lading number and date, port of loading, date of shipment, port of discharge, etc. The vendor shall mail the following documents to the RGUKT, with a copy to the Insurance Company.
- b. Four copies of supplier's invoice showing goods description, quantity, until price and total amount;
- c. 4 copies of packing list identifying contents of each package;
- d. Insurance Certificate; Manufacturer's/Supplier's warranty certificate;
- e. Inspection certificate, issued by the nominated inspection agency and the Supplier's factory inspection report; and
- f. Certificate of origin.

The above documents shall be received by the RGUKT at least one week before arrival of Goods at the port or place of arrival and, if not received, the vendor will be responsible for any consequent expenses.

S) For Goods from within India:

Upon delivery of the goods to the user, the vendor shall notify the RGUKT and mail the following documents to the RGUKT:

- a) Four copies of the vendor invoice showing goods description, quantity, unit price total amount;
- b) Delivery note, or acknowledgment of receipt of goods from the user;
- c) Manufacturer's or Supplier's warranty certificate;
- d) Inspection Certificate issued by the nominated inspection agency , and the Supplier's factory inspection report.
- e) Certificate of Origin;
- f) Insurance Policy;
- g) Excise gate pass Octroi receipts wherever applicable duly sealed indicating payments made; and
- h) Any of the documents evidencing payment of statutory taxes

The above documents shall be received by the RGUKT before arrival of the Goods (except deliver note and where it is handed over to the user with all documents) and if not received, the vendor will be responsible for any consequent expenses.

I.12. Insurance

- 1. It is suggested that the goods supplied under the contract shall be fully insured in an freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery up to user site.
- 2. The insurance should be for replacement value from "Warehouse to warehouse (final destination)" on "All Risks" valid upto 3 months till completion of delivery, installation and commissioning..

I.13.Transportation

Transport of the goods to the project site(s) shall be arranged by the vendor at his cost.

I.14. Hardware Installation

The vendor is responsible for all unpacking, assemblies, wiring, installations, cabling between computer units and connecting to power supplies. The vendor will test all hardware operations and accomplish all adjustments necessary for successful and continuous operation of the computer hardware at all installation sites.

I.15. Incidental services

- 1. The vendor may be required to provide any or all the following services, including additional services:
 - a. Performance or supervision or maintenance and/or repair of the supplied goods and services, for a period of time agreed by the parties, provided that this service shall not relieve the vendor of any warranty obligations under this Contract, and
 - b. Training of RGUKT and/or its user organization personnel, at the vendor's site and/ or on-site, in assembly, start-up, operation, maintenance and/or repair of the supplied goods and services.

Prices changed by the vendor for the preceding incidental services, if any, should be indicated separately(if required), and same will be mutually negotiated separately.

I.16 Spare Parts

- 1. The Vendors may be required to provide any or all of the following materials. Notifications and information pertaining to spare parts manufactured or distributed by the Vendor.
- 2. Such spare parts as the RGUKT may elect to purchase from the Vendor, provided that this election shall not relieve the Vendor of any warranty obligations under the contract and
- In the event of termination of production of the spare parts, an advance notification to the RGUKT of the pending termination, in sufficient time to permit the RGUKT to procure needed requirements and
- 4. The Vendor shall ensure availability of spares in stock at his nearest service centre for immediate delivery such spare parts as: (a) are necessary for a minimum of 5 years of operation after installation at the purchaser's sites (b) are necessary to comply with specifications.

I.17 Warranty

- 1. The Vendor warrants that the goods and services supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The Vendor further warrants that all goods and services supplied under this contract shall have no defect arising from design, materials or workmanship or form any act or omission of the Vendor, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 2. The warranty period shall be as stated in bid document. The vendor shall, in addition, comply with the performance guarantees specified under the contract. If, for reasons attributable to the Vendor, these guarantees are not attained in whole or in part, the vendor shall, makes such changes, modifications, and/or additions to the goods or any part therefore as may be necessary in order to attain the contractual guarantees specified in the contract at its own cost and expenses and to carry cut further performance tests.
- 3. The equipment supplied should achieve required up time.
- 4. RGUKT/ user shall promptly notify the Vendor shall, within the period specified in GCC and with all reasonable speed, repair or replace the defective goods and services or parts thereof, without costs to the user.
- 5. If the Vendor, having been notified, fails to remedy the defects(s) within a reasonable period, the RGUKT/user may proceed to takes such remedial action as may be necessary, at the vendor's risk and expense and without prejudice to any other rights which the RGUKT/user may have against the Vendor under the contract.

I.18 Maintenance Service

- Free maintenance services including spares shall be provided by the vendor during the period of warranty. User, at its discretion may ask the vendor to provide maintenance services after Warranty period, i.e., annual maintenance and repairs of the system at the rates indicated by bidder in its proposal and on being asked so, the vendor shall provide the same. The cost of annual maintenance and repairs cost (after warranty period), which will include cost of spares replaced, shall be paid in equal quarterly installments at the end of each quarter.
- 2. The maximum response time for maintenance complaint from any of the destination (i.e., time required of suppliers maintenance engineers to report to the installations after a request call/telegram is made or letter is written) shall not exceed 48 hours.

- 3. The vendor will accomplish preventive and breakdown maintenance activities to ensuring that all hardware, and firmware execute without defect or interruption for at least required up time.
- 4. In case up time is less than the stipulated up time, penalty as indicated in the bid document shall be imposed on the vendor.
- 5. The amount of penalty if any, will be recovered at source from the performance guarantee during the warranty or from annual maintenance charges payable as the case may be.

I<u>.19 Payment</u>

- 1. The vendor's request(s) for payment shall be made to the RGUKT in writing, accompanied by an invoice describing, as appropriate, the goods/service delivered/performed.
- 2. Payments shall be made promptly by the RGUKT, after submission of a valid invoice or claim by the vendor, as per the terms and conditions.
- 3. The currency of payment will be Indian rupees.
- 4. Payment shall be made as indicated in Bid document.
 - a. The annual maintenance and repair cost as per separate agreement if any, shall be paid in equal quarterly installments at the end of each quarter as per the rates quoted and agreed.
- 5. Payment will be made through cheque/RTGS Transfer.

I.20 Prices

Prices charged by the Vendor for goods delivered and services performed under the contract shall not vary from the prices quoted by the Vendor in its bid, with the exception of any price adjustments authorized in special conditions of contract or in the request for bid validity extension, as the case may be.

I.21. Change orders.

RGUKT may, at any time, by written order given to the Vendor, make changes within the general scope of the Contract in any one or more of the following:

- **S)** Drawing, designs, or specifications, where Goods to be supplied under the Contract are to be specifically manufactured for the RGUKT;
- b) The method of shipment or packing;
- c) The place of delivery and /or the services to be provided by the Vendor.

If any such change causes an increase or decrease in the cost of, or the time required for, the Vendor's performance of any provisions under the contract, an equitable adjustments shall be made in the contract price or delivery schedule, or both, and the contract shall accordingly be amended. Any claims by the Vendor for adjustment under this clause must be asserted within thirty(30) days from the date of the Vendor's receipt of the change order.

I.22 Contract amendment

No variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.

I.23. Assignment

The Vendor shall not assign, in whole or in part, its obligations to perform under this contract, except with the prior written consent from RGUKT.

I.24 Subcontracts

The Vendor shall notify the RGUKT in writing of all subcontracts awarded under the contact if not already specified in the bidder's proposal. Such notification, in the original bid or later, shall not relieve the Vendor form any liability or obligation under the contract subcontract shall be only for bought- out items and sub-assemblies.

I.25 Delays in the supplier's performance

- 1. Delivery of the Goods and performance of the services shall be made by the Vendor in accordance with the time schedule specified by the RGUKT in the specifications.
- 2. If at any time during performance of the contract, the vendor or its subcontractor(s) should encounter conditions impending timely delivery of the goods and performance of services, the Vendor shall promptly notify the RGUKT in writing of the fact of the delay, its likely duration and its causes (s). As soon as practicable after receipt of the Vendor's notice, RGUKT shall evaluate the situation and may at its discretion extend the Vendor's time for performance, with or without liquidated damages.
- 3. A delay by the Vendor I the performance of its delivery obligations shall render the vendor liable to the imposition of appropriate liquidated damages, unless an extension of time is agreed upon by RGUKT without liquidated damages.

I.26 Liquidated damages

If the Vendor fails to deliver any or all of the goods or perform the services within the time periods (s) specified in the Contract, the RGUKT shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to, as per the terms indicated in the bid document, until actual delivery or performance, subject to maximum limit. Once the maximum is reached, the RGUKT may consider termination of the contract.

I.27 Termination for default

- The RGUKT, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Vendor, may terminate the Contract in whole or in part: a. If the Vendor fails to deliver any or all of the Goods/Services within the time period(s) specified in the contract, or within any extension thereof granted by the RGUKT pursuant to Clause 25 of GCC.
 - a. If the Vendor fails to perform any other obligation(s) under the Contract or
 - b. If the Vendor, in the judgment of the RGUKT has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.
- 2. In the event the RGUKT terminated the contract in whole or in part, RGUKT may procure, upon such terms and in such manner as it deems appropriate, goods or services similar to those undelivered, and the Vendor shall be liable to the RGUKT for any excess performance of the contract to the extent not terminated.

I.28 Force majeure

- 1. The Vendor shall not be liable for the forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event for Force Majeure.
- For purpose of this clause, "Force Majeure" means an event beyond the control of the Vendor and not involving the Supplier's fault or negligence and not foreseeable. Such events may include but are not restricted to, acts of the RGUKT in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 3. If a Force Majeure situation arises, the Vendor shall promptly notify the RGUKT in writing of such condition and the cause thereof. Unless otherwise directed by the RGUKT in writing, the Vendor shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

I.29. Termination for insolvency

RGUKT, may at any time terminate the contract by giving 30 days written notice to the Vendor if the Vendor becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Vendor, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the RGUKT.

I.30 Termination for convenience

1. RGUKT, may at any time by giving 30 days written notice to the Vendor, terminate the Contract, in whole or in part, for its convenience. The notice of termination shall specify that termination is for the RGUKT/ Purchaser's convenience, the extent to which

performance of the Vendor under the Contract its terminated, and the date upon which such termination becomes effective.

2. The goods that are completed and ready for shipment within thirty(30) days after the vendor's receipt of notice of termination shall be accepted by the RGUKT at the contract terms and prices. For the remaining Goods, the RGUKT may elect to have any portion completed and delivered at the contract terms and prices at its discretion.

I.31 Resolution of disputes

- 1. The RGUKT and the Vendor shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with contract.
- 2. If, after thirty (30) days from the commencement of such informal negotiations, the RGUKT and the Vendor have been unable to resolve amicably a contract dispute, either party may require that the dispute be referred for resolution to the formal mechanisms specified here in. These mechanisms may include, but are not restricted to, conciliation mediated by a third party.
- 3. The dispute resolution mechanism shall be as follows:
- 4. In case of a dispute or difference arising between the RGUKT and the Venodr relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in acc9ordance with the Arbitration and Conciliation Act, of India, 1996.

I.32. Governing Language

The Contract shall be written in English or Telugu. All correspondence and other documents pertaining to the contract which are exchanged by the parties shall be written in same languages.

I.33. Applicable law

The contract shall be interpreted in accordance with appropriate Indian laws.

I.34 Notices

- 1. Any notice given by one party to the other pursuant to this contract shall be sent to the other party in writing or by telex, email, cable or facsimile and confirmed in writing to the other party's address.
- 2. A notice shall be effective when delivered or tendered to other party whichever is earlier.

I.35. taxes and duties

The vendor shall be entirely responsible for all taxes, Duties, license fee Control, road permits etc. incurred until delivery of the contracted Goods/services at the site of the user or as per the terms of tender document if specifically mentioned.

I.36 Licensing Considerations

The software mentioned in the Schedules or Requirement will be used throughout Telangana or user's sites even outside Telangana.

I.37 Protection against damages – site conditions:

- 1. The system shall not be prone to damage during power failures and trip outs. The normal voltage and frequency conditions available at site are as under
 - a. Voltage 230 Volts.
 - b. Frequency 50Hz.
- However, locations may suffer from low voltage conditions with voltage dropping to as low as 160 volts and high voltage conditions with voltage going as high as 220+20% volts. The relative humidity may range in between 5% to 95%.
- 3. The goods supplied under the contract should provide protection against damage under above conditions.

I.38 Fail-safe procedure

The vendor should indicate in detail fail-safe procedure (s) for the following:

- 1. Power failure
- 2. Voltage variation
- 3. Frequency variation

I.39 Training:

For each hardware and software component installed, the Vendor may be required to train the designated RGUKT and user personnel free of cost to enable them to effectively operate the total system. The training, if required, shall be given specified in the SCC at the locations specified. The training schedule will be agreed to by both parties during the performance of the Contract.

I.40 Site Preparation and Installation:

The Purchaser is solely responsible for the construction of the installation sites except where it is specifically required under bid document. The bidder will designate to perform a site inspection top verify the appropriateness of the sites before the installation of every hardware related them.

J. Special conditions of proposed contract (SCC)

Eligibility Criteria and SOW

- ➢ Following are the minimum qualifying requirements to qualify technically to bid in the tender. A certificate in respect to each point has to be submitted along with the technical bid, failing which the bids shall be technically disqualified.
- Bidder shall supply, configure passive and active components mentioned in Annexure in order to setup Campus Wide Network (CWN).
- Product should not be End of Sale for the period 5 years from the date of procurement / installation.
- Price should be valid for 1 year on the products quoted (any additional procurement would be based on requirement / enhancement)
- > The bidder should integrate the Campus Area Network with WAN and Internet routers of the ISP.
- The successful bidder shall manage the LAN infrastructure by appointing adequate qualified manpower (FMS) at Campus.
- Any civil works relating to the completion of the LAN cabling job (like drilling through floor and walls) has to be carried out by the bidder without any additional charges after seeking the necessary approvals from RGUKT officials.
- All the CDs, Operational Manuals, Stationery and similar accessories made available by equipment vendor would be handed over by the bidder to RGUKT after the installation work is over. The installation of equipment shall be accepted only after installation tests are over successfully.
- No charges for crimping tools, fixing tools, Splicing, testing tools or any other tools to be used by the bidder for installation of the CWN and IP Cameras etc.
- The Bidder shall follow the cable laying standards to ensure proper separation from power lines, bending radius, etc.
- > The Fiber Backbone infra has to be created with redundant links.
- The Bidder should lay the cables as per TIA/ EIA standards. If the site is not meeting to the standard as specified, the Bidder / manufacturer shall replace / upgrade the products at its own cost (all inclusive) to meet standard as specified. The Result should be submitted to RGUKT both in Soft and Hard copy format.
- > The Bidder shall install the Poles and Racks with proper procedures for grounding.
- The Bidder shall carry out the labeling as per the labeling scheme, RGUKT reserves the right for quantity variation due to increase/decrease in requirements. The bidder shall also provide all required products/services which may not be specifically stated herein but are required to meet the intent of ensuring completeness, maintainability and reliability of the total system covered under this specification, including integration and interoperability with the existing LAN.
- The selected bidder has to provide Comprehensive Training for at least 3 RGUKT personnel, in designing, installation, testing, and trouble shooting, documenting and maintaining LAN infrastructure and IP Cameras with NAS, at their own cost.
- The successful bidder shall after completion of the installation, submit a detailed documentation. The documentation shall cover minimum of following.
- Patching Details, Numbering Schematic Rack Utilization chart, Project Execution Plan, Scanning Reports, Connectivity Solution Diagram, Server Specs, As-built diagrams of the Campus Network, with building and floor wise distribution of users and connectivity.

- The successful bidder shall manage the LAN infrastructure and IP Cameras deployments at the Campus by appointing adequate resident qualified manpower, which will comprise of minimum two engineers with Two - Three Years experience who is able to work from 9.30 am to 6.30 pm from Monday to Saturday, and should be able to come on demand to premises at other times whenever called for.
- The bidder shall submit documents of 3 years warranty of OEM for all IP Cameras and active components within 30 days from the date of start, The successful bidder has to mandatorily backline all the services with the OEM during the warranty period and proof for the same should be submitted within 30 days from the date of award.
- > Return Material Authorization (RMA) support should be from OEM.
- All TAC support should be from OEM to RGUKT should be provided with relevant access to OEM TAC.
- OEM/Bidder shall replace any faulty device during the contract period with device of same or higher specifications.
- The proposed components should not be declared End-of-Life and Endof-Support for a period of at least 5 years from the date of start.
- The bidder should be an authorized Partner of the Passive / Active OEM. The bidder should have met all necessary conditions of OEM to achieve specialization.
- > Manufacturing Authorization Certificate in support of the above to be submitted along with the bid.
- All the Network Actives (Switches) offered by the Bidder shall be from single OEM and the Past experience of the Bidders should be for the same Make of Network Actives, which the bidder is quoting for this tender.
- Quoted OEM Products should have One depot in Telangana or should maintain adequate spares at each of the site.
- OEM should support the products quoted for 5 Years & a letter to this extent from the OEM to be submitted.

> <u>OEM Eligibility Criteria – IP Based CCTV:</u>

- ➢ OEM must have experience of manufacturing of CCTV Products from last 15 years. The OEM of CCTV equipment should be in surveillance business for at least ten years as of 31 March 2018 and should be registered under Companies Act, 1956. Proof of Registration should be attached.
- OEM should have Technical Support Centre in India and also a regional support centre in southern India. Address proof of the technical support centre with phone no. in the name of OEM to be attached.
- OEM should not be blacklisted by any Ministry of Government of India or any other Government/PSU or any other government department at time of the bidding. A certificate on the company letter head be attached.
- > MAC address of IP cameras should be registered in the name of the OEM supplying the CCTV product.
- ➢ OEM must provide the authorizations to the bidding company for the support extended to successfully execute the work as per the conditions layed down.
- > OEM should provide 3 years warranty and 7 years spare part support for the models quoted.

<u>Bidder Eligibility Criteria.</u>

- In addition to the above mentioned certification the bidder (who is not an OEM) shall have to furnish following documents along with technical bid:
- The bidder must be a Authorized dealer /Authorized Distributer of the IP cameras as mentioned in BOQ. A certificate in this regard shall be attached.

- The bidder company should be incorporated under the company's act 1956 and should be in business for last 5 years. Proof of this should be attached along with the technical bid.
- Bidder should have GST, PAN, ESI/EPF registration with concerned authorities in India. Copy of GST, PAN & ESIC / EPF registration should be attached.
- The bidder firm should not be defaulted / black listed/ banned by any Govt/ Public Sector organization / department in India. A certificate on the bidder's company letter head to be attached.
- Bidder must have Average Annual Financial Turnover during the last 3 years, ending 31st March 2018 of atleast INR 5 Crore. Annual Report (Audited Balance Sheet and Profit & Loss Account/ CA Certificate to authenticate it should be attached.
- > The bidder should be profitable with positive net worth for last 3 years. CA Certificate should be attached to authenticate it.
- In view of the prominence of these installations, the bidder is expected to provide the following documents in writing on respective letterheads or from the OEM, as required.
- Three Years warranty on the supplied cameras and accessories with min support of service for at least seven years theron.(OEM Certificate)
- Bidder should provide a letter of undertaking to attend the breakdown or service calls within 3 Hours from the time of reporting and 12 hours for its resolution.(Bidder Certificate)
- Standby cameras to be provided in case for further deferments. (Bidder Certificate)

Bid letter form

From:

(Registered name and address of the bidder.)

To: The Director, Rajiv Gandhi University of Knowledge Technologies, Basar, Nirmal District, Telangana-504107.

Sir,

Having examined the bidding documents and amendments there on, we the undersigned, offer to provide services/execute the works including supply, delivery installation of hardware, firmware and software as the case may be , in conformity with the terms and conditions of the bidding document and amendments there on, for the following project in response to your tender call dated

Project Title:

We undertake to provide services/execute the above project or its part assigned to us in conformity with the said bidding documents for an estimated sum of Rs. (total bid amount in words and figures) which may vary in options made by RGUKT, or its user organization.

If our bid is accepted, we undertake to;

- 1. Provide services/execute the work according to the time schedule specified in the bid document.
- 2. Obtain the performance guarantee of a bank in accordance with bid requirements for the due performance of the contract, and
- 3. Agree to abide by the bid conditions, including modifications/amendments issued if any, which remain binding upon us during the entire bid validity period and bid may be accepted any time before the expiration of that period.
- 4. We understand that you are not bound to accept the lowest or any bid you may receive, nor to give any reason for the rejection of any bid and that you will not defray any expenses incurred by us in bidding.

Place: Date: Bidder's Signature and seal.

Contract form

Contract Ref.No:-RGUKT-B/Proc/LAN&CCTV/T06/2018, dt.01.08.2018

THIS AGREEMENT is made on ______day of ______-

BETWEEN

 The Director, Rajiv Gandhi University of Knowledge Technologies, Basar, Nirmal District, Telangana – 504107 "(hereinafter "the RGUKT")), one part and...... (Name of Vendor a company incorporated under the laws of India and having its registered office) at (City and Country of Vendor) (Hereinafter "the Vendor") of the other part:

WHEREAS the purchaser invited bid for certain goods and ancillary services viz., **Supply and Installation of** ______ **of supply at** ______ and has accepted a bid by the Supplier for the supply of those all taxes and duties (hereinafter called as "the Contract Price")

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

In this Agreement words and expression shall have the same meanings as are respectively assigned to them in the conditions of bid document referred to.

1. Scope of the Work

Brief outline of the work: To Supply & Installation of ______ at subsequent clarifications.

2. Contract Documents

2.1 Contract Documents

The following documents shall constitute the contract between the User and the Supplier, and each shall be read and construed as an integral part of the contract:

I. Bid document Ref No. _____ Dt. ____

- II. Amendments and Modifications issued, if any(Annexure V)
- III. Proposal of the Supplier on Closed Bid & Manual Reverse auction prices (Annexure IV)
- IV. Minutes of TCPC meeting held on _____ (Annexure III)
- V. Notification of award. (Annexure II)

- VI. This Contract Agreement and the Annexure attached to the Contract Agreement
- VII. Delivery locations (Annexure VII)

a. Order of Precedence

In the event of any ambiguity or conflict between the Contact Documents listed above, the order of precedence shall be the order in which the contract documents are listed in 2.1 (Contract Documents) above, provided that Schedule of **Amendments contained in Annexure VIII** shall prevail over all provisions of the Contract Agreement and the other Appendices attached ot he Contract Agreement and all the other Contract Documents listed in 2.1 above.

3. In consideration of the payments to be made by the Purchaser to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Purchaser to provide the Goods and Services and to remedy defects therein in conformity in all respects with the provisions of the contract.

4. The Purchaser hereby covenants to pay the Supplier in consideration of the provision the Goods and Services and the remedying of defects therein, the Contract price or such other sum as may become payable unde3r the provisions of the Contract at the times and in the manner prescribed by the Contract.

5.1) Brief particulars of the goods and services which shall be supplied/provided by the Supplier are as under:

S.No	Solution, service, or material	QTY
1.		
2.		
3.		

5.5 SUPPLIER RESPONSIBILITY	·
5.6 UP TIME %	:
5.7 EXIT CLAUSE	•
5.8 PAYMENT TERMS	:

IN WITNESS WHEREOF the Purchaser and the Supplier have caused this agreement to be duly executed by their duly authorized representatives the day and year first above written.

For and behalf of the RGUKT

Signed:	
In the capacity of Director, RGUKT, Basar.	
In the presence of	
For and behalf of the Vendor	
Signed:	

In the capacity of_____, M/S._____

In the presence of_____

Annexure				
Schedule				
Items	Configuration required	Qty	Unit Price	Total Price
	Grand Total			

Annexure VIII

Amendments & Other Documents

S.no	Amendment No	Date	Amendment Description

Annexure 1

RGUKT. Ref. No: RGUKT-B/Proc/LAN&CCTV/T06/2018, dt.01.08.2018

Bid Security(EMD) form

(To be issued by any Scheduled Bank in India and having at least one branch in Basar)

Whereas.....(here in after called "the Bidder") has submitted its bid Dated......(Date). For the execution of(here in after called "the Bid")

KNOW ALL MEN By these present that WE.....ofof

The conditions of these obligations are:

- 1. If the bidder withdraws its bid during the period of bid validity or
- 2. If the bidder, having been notified of the acceptance of its bid by the RGUKT during the period of bid validity
 - 1) Fails or refuses to execute the contract form if required; or
 - 2) Fails or refuses to furnish the performance security, in accordance with the bid requirement;

We undertake to pay the RGUKT up to the above amount upon receipt of its first written demand, without the RGUKT having to substantiate its demand, provided that in its demand the RGUKT will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including 45 days after the period of the bid validity, and any demand in respect thereof should reach the Bank not later than the above date.

Place:	Signature of the Bank
Date:	and seal.

Annexure 2

RGUKT Ref. NO: RGUKT-B/Proc/LAN&CCTV/T06/2018, dt.01.08.2018

Performance Security form

(To be issued by a bank scheduled in India and having at least one branch in Basar)

To:.....(Address of RGUKT)

WHEREAS......(Name of Vendor) hereinafter called "the Vendor" has undertaken, in pursuance of contract No...... dated,(Date), to supply......called "the Contract".

AND WHEREAS it has been stipulated by you in the said Contract that the Vendor shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with the Supplier's performance obligations in accordance with the Contract.

WHEREAS we have agreed to give the Vendor a guarantee:

THEREFORE WE hereby affirm that we are Guarantors and responsible to you, on behalf of the Vendor, up to a total of Rs.....and we undertake to pay you upon your first written demand declaring the Vendor to be in default under the Contract and without cavil or argument, any sum or sums within the limit of Rs.....(Amount of Guarantee) as aforesaid, without your needing to prove or to show ground or reasons for your demand or the sum specified threin.

This guarantee is valid until theday of......(Date)

Place: Date: Signature of guarantors and seal

Annexure 3 Manufacturer authorization.

The authorization may be in the nature of letter, memorandum or certificate regularly granted by the manufacturer to its channel partners, authorized solution providers, system integrators, distributors, etc. or a specific letter issued for purposes of this bid. Such communication should include statements/ undertakings from the said manufacture to the following effect.

- Guarantee and warranty coverage in respect of the goods and services manufactured bye the said manufacturer shall be honored by that manufacture, their channel partners, distributors, authorized service centers as the case may be.
- 2) The manufacturer updates the bidder and their technical personnel with relevant technical literature, training and skill transfer workshops etc. on a regular basis.
- The manufacturer provide back to back technical support to the said bidder on a continuing basis.
- 4) The said bidder is authorized to provide service and solutions using hardware, firmware and / or software as the case may be.
- 5) Either manufacturer or the manufacturer authorized dealer only should quote.

Note: The letter of authority should be signed by a person competent and having the power of attorney to bind the manufacturer.

Form P-1

Bidder Information

1	Name of the organization			
2	Year of establishment			
3	Registered Address:			
4	Complete Postal Address			
	1			
5	Name & Designation of Aut	horized person		
6	Phone No.	nonzeu person		
7	Fax No.			
8	Email			
9	Nature of the firm			
	(Proprietary/partnership/et	tc)		
10	Whether a Manufacturer ?		If yes, provide relevant document	
11	Whether authorized dealer/	Service	If yes, provide relevant document	
	Provider?			
12	Bank Details of the Agency	•		
	Bank Name			
	Bank Address			
	Bank Account Number			
	IFSC Code			
13	PAN No.			
14	TIN No.			
15	GST No.			
16	Total No. of branch offices in	n Telangana		
17	Total No. of Service Enginee	ers		
18	Bid Document Fee	Amount Rs. :		
	(Non refundable)	DD No. :	DD Date :	
		Issuing Bank &	Branch :	
19	EMD	Amount Rs. :		
		DD No. :	DD Date :	
		Issuing Bank &	Branch :	
20	Details of certificates enclose	ed.		

Form P-2A

Turn over details of Item/product in 2015-16, 2016-17 & 2017-18

(Irrespective of brand/make)

S.No	Item Name	Nos. Sold	Amount (Rs in Lakhs)	

Form P-2B

Turn over details of Item/product in 2015-16, 2016-17 & 2017-18 (Brand offered)

S.No	Item Name	Nos. sold	Amount (Rs in Lakhs)

Form P-3

List of Major Customers

S.No	Customer Full address	Year of supply	Item Name	Turn over Under Form P-2A(No.s.)	Turn over Under Form P- 2B(No.s.)

FORM T-1

SI.No	ltem	Specification Required	Specification of proposed item	Specification Higher/Lower/ Equal	AMC for 4 th Year	AMC for 5 th Year

(On the official letterhead of the Firm)

FINANCIAL BID

Make / Model No	Description	Qty	UOM	Unit Price	Total Price
	Make: Molex / Panduit / Systimax				
1	12 Core Singlemode armored Fiber Optic Cable (2 Runs)	6000	Meters		
2	6 Core Singlemode armoued Fiber Optic Cable	1000	Meters		
3	24 PORT LIU Fully Loaded - LC Type	14	Nos		
4	12 PORT LIU Fully Loaded - LC Type	8	Nos		
5	Fiber Pigtails Singlemode - LC	528	Nos		
6	Fiber Patch Cords - LC-LC Singlemode	55	Nos		
7	24 U Rack with 6 Socket PM and standard accessories	5	Nos		
8	Server Rack 800/1000 with 12 Socket PM -2 Nos with standard accessories	1	Nos		
9	10 Port POE Switch for CCTV Cameras	10	Nos		
10	1" HDPE Pipe for Fiber Cable	2500	Nos		
11	CAT 6 UTP Cable Box of 305 meters	35	Nos		
12	CAT 6 Information Outlets	1500	Nos		
13	Unloaded Jack Panel 24 Port	45	Nos		
14	Single Port Face Plate	400	Nos		
15	Surface Mount Box	400	Nos		
16	CAT 6 3 Feet Patch Cord	1800	Nos		
17	9 U Rack with 6 Socket Power Module and fastner packet (10 Nos)	10	Nos		
10	Outdoor 6/9 U Rack for CCTV Camera	2	Ŋ		
18	weather proof	3	Nos		
19	CAT 6A U/FTP Cable	5	Boxes		
20	CAT 6A Information Outlets	50	Nos		
21	CAT 6A 3 Feet Patch Cord	50	Nos		
22	Unloaded Jack Panel for CAT 6A	5	Nos		
23	1" PVC Conduit with accessories	1250	Nos		
24	Wireless Bridge for Camera Connectivity	2	Sets		
25	Fiber Cable Laying	7000	Nos		
26	HDPE Laying	2500	Nos		
27	Splicing of Fiber	528	Nos		
28	Laying of Cat 6 Cable	10675	Nos		
29	Laying of PVC Pipe	1250	Nos		

30	Manholes with rings and clouser	25	Nos	
	15 feet Standard Pole for PTZ Camera			
31	with rust free painting	3	Nos	
	Route Markers with radium sticker for			
32	Fiber	50	Nos	
33	Digging and refilling of soft and hard soil	2850	Meters	
34	Project Management Charges	1	Nos	
	Installation and configuration of Switches			
35	and integrating with existing network	1	Nos	
	On-Site technical Engineer for a period of			
36	3 Years (Network and CCTV)	2	Persons	
Make / Model No	Description	Qty	UOM	
	IP Based POE Camera with 3 Years			
	Warranty Outdoor Night Vision IR Bullet Fixed			
	High Definition (HD) Network Camera			
	with POE support	46	Nos	
	Indoor 720/30fps Fixed Network Camera		1105	
	Dome / Cube with POE Support	15	Nos	
	Day/Night, Network Pan/Tilt/Zoom (PTZ)			
	Camera with HPOE Support	3	Nos	
	IP68 Weather proof housing with wall			
	mount bracket	3	Nos	
	Control Room			
	Software Licenses for Video Monitroing			
	and Recording with 66 Licenses and			
	expandlabe to 128 Licences	66	Nos	
	Full HD LED Display Unit for 24X7	4	Nec	
	CCTV applications with Wall mount kit Storage for IP Camera NAS with 4 GB	4	Nos	
	RAM, 48 TB Raw Storage SATA 6GB			
	per second expandable to 144 TB	1	Nos	
	Installation and configuration charges for			
	Cameras, Software and NAS	1	Nos	
Sno / Model No	Description	Qty	UOM	
<mark>Sno / Model No</mark> WS-C3850-12S-S	Description Cisco Catalyst 3850 12 Port GE SFP IP		UOM	
	Cisco Catalyst 3850 12 Port GE SFP IP Base	Qty 2	UOM Nos	
	Cisco Catalyst 3850 12 Port GE SFP IP Base UNIVERSAL			
WS-C3850-12S-S S3850UK9-163	Cisco Catalyst 3850 12 Port GE SFP IP Base UNIVERSAL 350W AC Config 1 SecondaryPower	2 2	Nos Nos	
WS-C3850-12S-S S3850UK9-163 PWR-C1-350WAC/2	Cisco Catalyst 3850 12 Port GE SFP IP Base UNIVERSAL 350W AC Config 1 SecondaryPower Supply	2 2 2 2	Nos	
WS-C3850-12S-S S3850UK9-163	Cisco Catalyst 3850 12 Port GE SFP IP Base UNIVERSAL 350W AC Config 1 SecondaryPower Supply India AC Type A Power Cable	2 2	Nos Nos	
WS-C3850-12S-S S3850UK9-163 PWR-C1-350WAC/2	Cisco Catalyst 3850 12 Port GE SFP IP Base UNIVERSAL 350W AC Config 1 SecondaryPower Supply India AC Type A Power Cable Console Cable 6ft with USB Type A and	2 2 2 2 4	Nos Nos Nos	
WS-C3850-12S-S S3850UK9-163 PWR-C1-350WAC/2 CAB-TA-IN	Cisco Catalyst 3850 12 Port GE SFP IP Base UNIVERSAL 350W AC Config 1 SecondaryPower Supply India AC Type A Power Cable	2 2 2 2	Nos Nos Nos	
WS-C3850-12S-S S3850UK9-163 PWR-C1-350WAC/2 CAB-TA-IN CAB-CONSOLE-	Cisco Catalyst 3850 12 Port GE SFP IP Base UNIVERSAL 350W AC Config 1 SecondaryPower Supply India AC Type A Power Cable Console Cable 6ft with USB Type A and	2 2 2 2 4	Nos Nos Nos Nos	
WS-C3850-12S-S S3850UK9-163 PWR-C1-350WAC/2 CAB-TA-IN CAB-CONSOLE- USB	Cisco Catalyst 3850 12 Port GE SFP IP Base UNIVERSAL 350W AC Config 1 SecondaryPower Supply India AC Type A Power Cable Console Cable 6ft with USB Type A and mini-B	2 2 2 4 2	Nos Nos Nos Nos	

C3850-NM-2-10G	Cisco Catalyst 3850 2 x 10GE Network Module	2	Nos	
WS-C3850-24T-S	Cisco Catalyst 3850 24 Port Data IP Base	4	Nos	
S3850UK9-163	UNIVERSAL	4	Nos	
PWR-C1-350WAC/2	350W AC Config 1 SecondaryPower Supply	4	Nos	
CAB-TA-IN	India AC Type A Power Cable	8	Nos	
STACK-T1-50CM	50CM Type 1 Stacking Cable	4	Nos	
CAB-SPWR-30CM	Catalyst Stack Power Cable 30 CM	4	Nos	
PWR-C1-350WAC	350W AC Config 1 Power Supply	4	Nos	
C3850-NM-2-10G	Cisco Catalyst 3850 2 x 10GE Network Module	4	Nos	
WS-C2960X-24TS- L	Catalyst 2960-X 24 GigE, 4 x 1G SFP, LAN Base	76	Nos	
PWR-CLP	Power Retainer Clip For 3560-C, 2960-C and 2960-L Switches	76	Nos	
CAB-ACSA	AC Power Cord (South Africa), C13, BS 546, 1.8m	76	Nos	
GLC-LH-SMD=	1000BASE-LX/LH SFP transceiver module, MMF/SMF, 1310nm, DOM	50	Nos	
GLC-TE=	1000BASE-T SFP transceiver module for Category 5 copper wire	4	Nos	
SFP-10G-LR=	10GBASE-LR SFP Module	8	Nos	
CON-SSSNT- WSC3851S	SOLN SUPP 8X5XNBD Cisco Catalyst 3850 12 Port GE SFP IP Base (3 years)	2	Nos	
CON-SSSNT- WSC384TS	SOLN SUPP 8X5XNBD Cisco Catalyst 3850 24 Port Data IP Base (3 years)	4	Nos	
CON-SSSNT- WSC296XT	SOLN SUPP 8X5XNBD Catalyst 2960-X 24 GigE 4 x 1G SFP LAN Base (3 years)	76	Nos	
		SUB Total		
		GST		
		Grand Total		

Signature of the Bidder along with seal

Note: 1) The bidders have to strictly follow the formats available online without any change in *Particulars & Format Nos.*2) In case any changes made in particulars or formats, then the same will not be considered for evaluation.

Signature of the Bidder along with seal

CHECK LIST

IMPORTANT:

The Bidder must ensure that the following details in the check list are furnished along with the bid document **(IN THE SAME ORDER).** The bidder must also carefully go through all the contents of the BID Document and any additional information/documents, required more than the items listed in the check list below, also shall have to be furnished. Non-furnishing of any required information/document as per the Tender Document will lead to rejection of the bid.

S.No	Particulars	Name of the file uploaded	Page Number		
PRE-Q	PRE-QUALIFICATION:				
1	Tender Processing Fee of Rs.10,000/- by way of DD				
2	EMD of Rs.2,50,000/- by way of DD/BG				
3	Bidder Information Sheet				
4	Firm Registration Certificate				
5	Form-P1 General Information about Bidders company				
6	Bid letter form				
7	Bidding firm should have a cumulative turnover of 15 Cr during the last three financial years i.e. 2015-16, 2016-17 & 2017-18.				
8	Certificates issued by the firm of CA's regarding turnover of the subject material				
9	Form-P2A & Form-P2B Details of the sales in support of turnover				
12	Form-P3 List of major clientele along with Complete address and contact details				
13	Form-P4 :: Details of the Service Centres				
<mark>14</mark>	Form-P5 (Bidder's Format) Certificates like OEM ISO, Microsoft, etc.				
15	Form-P6 (Bidder's Format) Manufacturer's Authorization to participate in bidding process apart from such other documents like authorization certificate for dealing in the products for which bid is submitted (however this will not apply to Manufacturers)				
<mark>16</mark>	Power of Attorney (If applicable)				
17	Letter of Undertaking for Non-blacklist				

TECHNICAL :			
18	Form-T1 Deviations(s) to technical specifications (if any)		
19	Form-T2 (Bidder's Format) Detailed technical documentation, reference to various industry standards to which the products/services included to which the products / services included in vendor's offer conform, and literature concerning the proposed solution		
20	Form-T3 (Bidder's Format) Other information, if any required in the bid document		
21	Form-T4 As per Section A.4 details of proposed site engineers to be deployed should be furnished.		
22	Any other information/documents that are required in the bid document		

NOTE: All pages of the bid documents must be serially numbered and signed.