



Ref: RGUKT-B/Proc/UPS/Labs/Q14/2019, dated.15.03.2019

NOTICE INVITING QUOTATIONS

Description : Supply and installation of 10 KVA UPS for Simulation Labs for RGUKT, Basar campus.
NIQ No : RGUKT-B/Proc/UPS/Labs/Q14/2019
Last date for submission : 21.03.2019 by 05:00PM

1. Rajiv Gandhi University of Knowledge Technologies (RGUKT), Basar, invites sealed Quotations (single bid system) for supply and installation of 6 No's of 10 KVA UPS for Simulation Labs for Engineering Departments with the following specifications to RGUKT, Basar located in Nirmal District of Telangana State. The details are as follows...

TECHNICAL SPECIFICATION	
Input	
Model NO	10KVA ONLINE UPS
Voltage Range	110~276Vac(Depends on load level)
Frequency Range	50/60Hz±10Hz
Rated Current	45.5A
Phase	Single phase with ground
Power Factor	≥0.99 @ full load
Battery	
Rated Voltage	240Vdc
Battery AH	12V 100AH -20 nos(Quanta Make)
Battery Type	Sealed Lead Acid Maintenance Free Batteries
Charger	Built-in Constant Voltage
Rack	Suitable Battery Rack should be provided
Smart Battery Management	Yes
Output	
Power Rating	10kVA/9kW
Voltage*	208/220/230/240Vac
Frequency	Synchronized 50/60×(1±10%)Hz @Line mode 50/60×(1±0.1%)Hz @Battery mode
Wave Form	Pure Sine wave
On Battery Frequency	50/60Hz±0.05Hz
Power factor	0.9
Overload	In Line mode: 10 min 105~125% 1 min 125~150% 10 s >150% 100 ms >170% In Battery mode: 2 min 105~125% 30 s 125~150% 100 ms >150%

Harmonic Distortion	THD \leq 2% @ full linear load \leq 5% @ full nonlinear load
Load Type	PF 0.5~1, lagging
General	
Line to Battery Mode transfer time	0ms
Parallel Kit	Inbuilt up to 4units in parallel
Display	Multifunction LCD Readout
Indications	Normal, Battery, Bypass,Fault
Certification	NTC
Technology	Patent Green Power Technology, DSP technology based components
Bypass	Static Bypass
SNMP/HTTP Remote Monitoring	Yes, with optional RMCARD302/303
Online Thermal Dissipation	2672 BTU/hr
Operating Temperature	32 °F to 104 °F / 0 °C to 40 °C
Energy Saving	ECO Mode Efficiency>96%
Software	Power Panel® Business Edition
Active PFC Compatible	Yes
Surge Suppression	445Joules
Feature	Black-Start feature - Starts UPS under abnormal conditions
Verified	Cisco

2. Interested bidders are requested to submit the competitive offer for the above items strictly as per the instructions and terms & conditions mentioned in this document.
3. The covers should be super scribed as **“Quotation for Supply of 10 KVA UPS for Simulation Labs for RGUKT, Basar campus”**.
4. The quotations must be accompanied with the following:
 - a. Bidder information sheet (Annexure-I)
 - b. Price offer (ANNEXURE-II)
 - c. Non refundable Processing fee of **Rs.2000/- (Rupees Two Thousand only)** in the form of DD from any Scheduled Bank, drawn in favour of The Director, RGUKT, Basar, payable at Basar.
 - d. Copy of GST Registration Certificate.
 - e. Copy of PAN card

5. RGUKT reserves the right to reject any/all quotations (s) without assigning any reasons whatsoever. Canvassing in any form will be considered as disqualification from award of contract.
6. MAF certificate should be provided.
7. The conditions of the Contract:
 - a. The rates mentioned shall be valid for a period of 90 days.
 - b. The items must be delivered within 3 weeks from the date of award of the contract.
 - a. **Payment terms:** 100% against satisfactory delivery and installation of the materials on getting satisfactory report from the authorities concerned.
 - b. The prices should quote inclusive of all taxes, transportation, loading, unloading and installation charges.
 - c. The payment shall be made through RTGS transfer on receipt of triplicate invoice along with advance stamped receipt.
8. Submission of the quotation will signify the acceptance of all the terms and conditions of the contract. It will not be obligatory for the institute to accept the lowest quotation & no explanation shall be given for the cause of rejection of quotation to any bidder.

9. Address for sending of sealed quotations:

Procurement Section,
RGUKT- Basar, Mudhole Road,
Nirmal District, Telangana -504107.
Call:9492301704.

Vice-Chancellor

ANNEXURE-I

The bidder information sheet:

1	Name of the organization	
2	Year of establishment	
3	Complete postal address	
4	Name & Designation of Authorized person	
5	Phone No.	
6	Fax No.	
7	Email	
8	Nature of the firm (Proprietary/partnership/etc...)	
9	Bank Details of the Agency:	
	Bank Name	
	Bank Address	
	Bank Account Number	
	IFSC Code	
10	PAN No.	
11	GST No.	
12	Total No. of branch offices in Telangana	
13	Bid Document Fee (Non refundable)	Amount Rs. :
		DD No. :
		DD Date :
		Issuing Bank & Branch :

// ON BIDDER LETTER HEAD//

ANNEXURE-II

PRICE OFFER

**Signature of the bidder
along with seal**

Note: Please quote your prices for 6 No's of 10 KVA UPS along with other required accessories and installation charges and transportation charges.